Metropolitan Educational Council

Audio Visual Catalog

January 1, 2011—December 31, 2011



www.mecdc.org
2100 Citygate Dr. Columbus, OH 43219

Metropolitan Educational Council

www.mecdc.org
2100 Citygate Dr. Columbus, OH 43219

TABLE OF CONTENTS

Table of Contents	1
MEC Contact Information & Audio Visual Committee Members	2
Vendor Contact Information	3-10
Audience Response Systems	11-20
Audio Cassette	21
Audio Recorder	21
AV Carts	22-29
AV Cart Accessories	29-31
AV Lamps	32
Boom box	33-34
Cassette Recorder	34
CD/DVD Duplicator Unit	35
CD/Cassette Players-Recorders	35-37
CDR-R Disks	37
Digital Media/Flash Drives	38
Digital Media//SD Cards	39-40
Digital Video Camcorder	41
Document Cameras	41-43
DVD/CD Pens	44
DVD Disks	44
DVD Player	45
DVD-R Recorder	45
DVD/VCR Player	46
Extension Cords	47

TABLE OF CONTENTS, Cont.

Headphone Accessories	49
Headphones	50-60
Interactive Presenters	61-66
Laminating Film	67-68
Laminator	69
Letter Machine	69
Listening Centers	70
Loudspeaker	70
Microphones	71-72
Multimedia Projectors	73
Overhead Projectors	74-77
PA Systems	78-79
Projector Screens & Brackets	80-82
Scan Converter	82
Smartpen	83
Speakers	83-84
Tablet	84

Metropolitan Educational Council

METROPOLITAN EDUCATIONAL COUNCIL CONTACTS

Ron Miller
Executive Director
614-473-8300
rmiller@mail.mecdc.org

Alicia Alarie
Purchasing Coordinator
614-934-6536
aalarie@mail.mecdc.org

Nancy Streepy
Executive Assistant
614-934-6525
nstreepy@mail.mecdc.org

Audio-Visual Sub-Committee

Mike Mirachi	Media Technologies Dept.	Columbus City Schools
Jon Olsen	Procurement Supervisor	Columbus City Schools
David Stoll	Media center Director	Worthington Christian Schools
Frank Tuttle	Audio Visual Specialist	Upper Arlington City Schools
Nick Petrosino	Media Specialist	Pickerington Local School District
Lisa Shambaugh	Media Specialist	Jefferson Local School District

Company Name: Accucut

Company Website: www.accucuteducation.com

Contact: Leanne Dorathy

Phone: 800-288-1670 ext. 349

Fax: 800-369-1332

Email: Leanne.dorathy@accucut.com

Customer Service Email: info@accucut.com

Phone: 800-288-1670

Fax: 800-369-1332

ORDERING CONDITIONS: Exclusions to discount & free shipping as follows:

Items excluded from the 30% discount pricing & free shipping are:

1. Xyron products
2. USI products
3. Work Center Carts except for WC107 and its accessories
4. Items contained in the "clearance" section of our website
5. Items contained in the "supply store" section of the catalog or web site
6. Customer must reference the bid to receive the discount

Discounts are not valid when combined with other offers

NET 30 days

Address: 1035 East Dodge St., Fremont, NE 68025

Company Name: Camcor, Inc.

Company Website: www.camcor.com

Contact: Nelson Oldfield

Phone: 800-868-2462 ext. 345

Fax: 800-298-1181

Cell: 761-361-0835

Email: noldfield@camcor.com

Customer Service Contact: Debbie Naudus

Customer Service email:

Customer.service@camcor.com

Phone: 800-868-2462 ext. 151

Fax: 800-298-1181

ORDERING CONDITIONS: $50 minimum to receive free shipping (catalog discount only)

NET 30 days

Address: P.O. Box 1899, 2273 S. Church St.,

Burlington, NC 27215

Company Name: CIM Technology Solutions

Company Website: www.cimtechsolutions.com

Contact: Debbie Delaney

Phone: 800-742-5036

Fax: 812-376-3557

Cell: 419-651-3630

Email: debbied@cimtechsolutions.com

Customer Service Contact: Broc Schneider

Customer Service Email: brocs@cimtechsolutions.com

Phone: 800-742-5036

Fax: 812-376-3557

ORDERING CONDITIONS: Put on PO: "Metropolitan Educational Council Bid Price"

$75 minimum order

NET 30 days

Address: 1256 Washington St., Columbus, IN 47201

Company Name: Educational Advancements

Company Website: www.educationaladvancements.com

Contact: Angel Miller

Phone: 513-755-1133

Fax: 513-755-5353

Cell: 937-654-4398

Email: amiller@edcuationaladvancements.com

ORDERING CONDITIONS: call customer service for minimum order and shipping

NET 15 days

Address: 7305 Cox Rd., west Chester, OH 45069

Company Name: GBC

Company Website: www.gbcconnect.com

Contact: Kevin DeBolt

Phone: 800-222-6462 ext. 3918

Fax: 877-549-7881

Email: Kevin.debolt@gbc.com

Customer Service email: gbc_orders@gbc.com

Phone: 800-723-4000

Fax: 800-914-8178

ORDERING CONDITIONS:

$25 minimum order

NET 30 days

Address: 300 Tower Parkway, Lincolnshire, IL 60069

Company Name: Highsmith, a division of GHC Specialty Brands, LLC

Company Website: www.highsmith.com

Contact: Holly Fry

Phone: 800-543-2180

Fax: 800-350-6326

Email: bids@highsmith.com

Customer Service Contact: Holly Fry

Customer Service email: bids@highsmith.com

Phone: 800-543-2180

Fax: 800-350-6326

ORDERING CONDITIONS: 16% discount off stock items*, 10% discount off non-stock items*, free shipping & handling*

*Not valid on LibrarySparks magazine, Edupress and Learning Well Brands, 3M and Checkpoint security products, sales catalogs, orders already in progress, in conjunction with other bids or other discounts. Truck shipments are with tailgate delivery.

MEC Discount No. 246948, Key Code 16108F

$50 minimum order

NET 30 days

Address: 401 S. Wright Rd. Janesville, WI 53546

Company Name: Industrial Video

Company Website: www.ivideo.com

Contact: Roger Singer

Phone: 614-509-2360 / 800-342-6150

Fax: 614-509-1001

Cell: 614-746-6136

Email: rsinger@ivideo.com

Customer Service Contact: Roger Singer

Customer Service email: rsinger@ivideo.com

Phone: 614-509-2360 / 800-342-6150

Fax: 614-509-1001

ORDERING CONDITIONS:

$25 minimum order

NET 30 days

Address: 2136 Citygate Dr., Columbus, OH 43219

Company Name: Logical Choice technologies. Inc.

Company Website: www.logicalchoice.com

Contact: Michelle Grooms

Phone: 770-564-1044

Fax: 770-564-0244

Cell: 740-602-0692

Email: michelle.grooms@logicalchoice.com

Customer Service email:

customecare@logicalchoice.com

Phone: 866-482-8937

Fax: 770-564-0244

ORDERING CONDITIONS: NET 30 days

Address: 1045 Progress Circle

Lawrenceville, GA 30043

Company Name: RM Educational Software, Inc.

Company Website: www.rmeducation.com

Contact: David McKenna

Phone: 770-345-6804 / 800-728-6758

Fax: 770-345-7548

Email:

Customer Service Contact: Chris Kovach

Customer Service email:

Phone: 765-969-5107

Fax:

ORDERING CONDITIONS:

$25 minimum order

NET 30 days

Address: 1431 Airport Dr., Ball Ground, GA 30107

Company Name: Schoolhouse Electronics

Company Website: www.schoolhouseelectronics.com

Contact: Gary Kurtz

Phone: 877-572-4600

Fax: 740-366-9646

Email: gary@schoolhouseelectronics.com

Customer Service Contact: Bill Arico

Customer Service email: bill@schoolhouseelectronics.com

Phone: 877-954-8900

Fax: 419-358-9001

ORDERING CONDITIONS: Freight prepaid and added to invoice

$25 minimum order

NET 30 days

Address: 90 St. Rt. 103, Bluffton, OH 45817

Scott Electric

Company Name: Scott Electric

Company Website: www.scottelectricusa.com

Contact: Mark Troutman

Phone: 800-442-8045 ext. 1505

Fax: 877-837-8906

Email: mtroutman@scottelectricusa.com

Customer Service Contact: Mark Troutman

Customer Service email:

mtroutman@scottelectricusa.com

Phone: 800-442-8045 ext. 1505

Fax: 877-837-8906

ORDERING CONDITIONS:

NET 30 days

Address: 1000 S. Main St., Greensburg, PA 15601

Company Name: Tape Central

Company Website: www.tapecentral.com

Contact: Dawn Norrod

Phone: 614-848-5222 / 877-432-8273

Fax: 614-848-6189

Email: dawn@tapecentral.com

Customer Service Contact: Beth Feenstra

Customer Service email: beth@tapecentral.com

Phone: 614-848-5222 / 877-432-8273

Fax: 614-848-6189

ORDERING CONDITIONS: No minimum order,

except Califone is $25/order

$500 for free freight on items except Bretford, Dalite, Anchor Audio, Califone, Elmo & Luxor

NET 30 days

Address: 7020 Huntley Dr. #C, Columbus, OH 43229

Technology Purchasing Partners, LLC

Company Name: Technology Purchasing Partners, LLC

Company Website: www.techpurch.com

Contact: David Stroman

Phone: 614-245-0535 / 877-300-9332

Fax: 614-433-7262

Email: dstroman@techpurch.com

Customer Service Contact: David Stroman

Customer Service email:

dstroman@techpurch.com

Phone: 614-245-0535 / 877-300-9332

Fax: 614-433-7262

ORDERING CONDITIONS: $500 minimum order for free freight except Dalite, Anchor Audio, Luxor, Flip & TV's

NET 30 days

Address: 4400 N High St. Suite 200, Columbus, OH 43214

TROXELL COMMUNICATIONS, INC.

Company Name: Troxell Communications, Inc.

Company Website: www.trox.com

Contact: Jack Finke

Phone: 513-351-5487 / 800-578-8858

Fax: 800-589-5939

Email: jack.finke@trox.com

Customer Service Contact: Bob Arment

Customer Service email: bob.arment@trox.com

Phone: 800-352-7912

Fax: 800-752-1299

ORDERING CONDITIONS: Coby MP5502GBLK, 10 or more shipped 1 time to 1 location

NET 30 days

Address: 118 Graceland Blvd. #206, Columbus, OH 43214

Audience Response Systems

CIM Technology Solutions

RF-N-SYS030-0024 $1895.00 (includes shipping)

eInstruction CPS Pulse-24

eInstruction
CPS Pulse 24 Pad System

RF-N-SYS030-0024

Affordable, effective, and easy to use, **CPSPulse** is the latest version of the market-leading Classroom Performance System, used by millions of students and teachers in more than 400,000 classrooms. The RF-N-SYS030-0024 includes (24) twenty-four student pads.

Keep students engaged and involved in class and facilitate greater student-teacher interaction in a fun, dynamic learning environment that encourages class discussion and participation. Students who normally remain silent in class now answer every question with confidence.
Transform your classroom into a high-performing interactive learning environment.

- Capture real-time assessment data to gauge student comprehension as you teach.
- Identify individual learning needs and differentiate instruction as needed.
- Automate and streamline time-consuming administrative tasks like taking attendance, grading quizzes or tests, and recording the results.
- Generate personalized reports in seconds.
- Ideal for grades 6 and up (ages 11 and older), in any size classroom.

RF-N-SYS030-0032 $2495.00 (includes shipping)

eInstruction
CPS Pulse 32 Pad System

RF-N-SYS030-0032

Affordable, effective, and easy to use, **CPSPulse** is the latest version of the market-leading Classroom Performance System, used by millions of students and teachers in more than 400,000 classrooms. The RF-N-SYS030-0032 includes (32) thirty-two student pads.

Keep students engaged and involved in class and facilitate greater student-teacher interaction in a fun, dynamic learning environment that encourages class discussion and participation. Students who normally remain silent in class now answer every question with confidence.
Transform your classroom into a high-performing interactive learning environment.

- Capture real-time assessment data to gauge student comprehension as you teach.
- Identify individual learning needs and differentiate instruction as needed.
- Automate and streamline time-consuming administrative tasks like taking attendance, grading quizzes or tests, and recording the results.
- Generate personalized reports in seconds.
- Ideal for grades 6 and up (ages 11 and older), in any size classroom.

Audience Response Systems

Industrial Video

Qomo QRF324 $935.00 ($10 freight)

Qomo QRF332 $1205.00 ($10 freight)

QClick
Audience Response System
QRF300
What is QClick?
QClick is the most powerful and cost effective Interactive Wireless Audience Response System on the market. It can be used in traditional classroom settings, group meetings, or wherever instant feedback is desired.
The QRF300 system can interface with any file format you plan to test with via its Freestyle Mode. Engage participants in virtually any activity you wish to bring to the table. QClick software also completely integrates into Microsoft PowerPoint, making it both easy to learn and fun to use. It enriches your presentations and classroom curriculaby encouraging participation. With QClick's interactive PowerPoint based software and wireless audience response padsgiven to each participant, real-time feedback can be electronically collected at the simple click of a button. Leave no one behind with the encouragement and participation the QRF 300 elicits from audience members. Eliminate handgrading exams and quizzes with the reporting features that allow you to generate ful scale, Excel-compatible reports.
What can QClick do for you?
QClick ensures that your professional presentation is more interesting, entertaining, interactive and informative.
Instructors and presenters can display questions, surveys, opinion polls and games that allow everyone in the audience to select a response via their wireless response pads and transmit the data immediately to the presenter.
Critical information can be accurately and efficiently gathered, ranked and displayed in a matter of seconds.
QClick integrates 100% into PowerPoint giving you the capability to author, deliver, assess and report without ever leaving PowerPoint.
Conduct on the spot assessments or gauge the opinion of each participant at any point during your presentation or training session.
QClick is capable of supporting large audiences.
Wireless hand-held Instructor Remote allows the presenter to conduct exams while maintaining full classroom mobility.
QRF 300's Freestyle Mode allows you to run your activities with any medium: Paper exams, Oral quizzes, PowerPoints, XML files, and more!
QClick Reporting features give you extensive options in your results viewing, all the while Excel-compatible.

Audience Response Systems

Logical Choice Technologies, Inc.

10072 $1126.06

Promethean AV3KIT25AMEU

10073 $1448.14
Promethean AV3KIT32AMEU

ActiVote

Product Specifications

LEARNER RESPONSE SYSTEM

A hand-friendly learner response device with A–F voting capability. Teachers pose the questions, students log their choices and the ActivClassroom records the results for immediate review.

TECHNICAL SPECIFICATIONS

Range	100m (328ft) [Free Space]
Throughput	500 devices/second
User Input	6 response and 1 registration buttons
Max Number of Devices per System	500
Batteries	3xAAA Alkaline, replaceable via security screw
Battery Life	Typically 18 months
Communication	Wirelessly with the ActivHub 2.4 GHz inserted in computer or ActivBoard 300 Pro
RF Frequency	2400 - 2483.5MHz
Voltage	4.5V DC
Certifications	UL, CE, FCC
Overall Dimensions	86mm x 68mm x 34mm (3.4in x 2.7in x 1.4in)
Weight	117g (4.1oz)
Operating Temperature	0°C - 50°C (32°F - 122°F)
Storage Temperature	-10°C - 60°C (14°F - 140°F) Humidity (non condensing) 0% - 90%
Packed Contents List	32 or 25 ActiVote devices packed in a lockable storage case, ActivInspire Professional Edition DVD, 1 ActivHub, 1 security screwdriver, Quick Start Guide (batteries are included in each device)

GENERAL SPECIFICATIONS

Question Data Import	ExamView® XML importer
Question Data Export	Questions and results can be exported to Excel™ or .txt
Working with other Applications	Interface (Express Poll/Wonderwheel) tool can "float" over most computer applications such as web browsers, Word™, Excel™
Question Preparation	Question Wizard allows for preparing questions with correct answers Questions can be timed Express Poll allows for on-the-fly questioning
Response Monitoring	Results can appear instantly or viewed at a later time Users can be allowed to modify their response
Device Naming	Devices can be associated with a user's name Results can be captured either by user's name or anonymously

MINIMUM COMPUTER REQUIREMENTS

Operating Systems	Windows XP SP2 and above (XP/Vista/7) Mac OSX 10.4.11 – 10.6.1 (Tiger/Leopard/Snow Leopard) Linux Ubuntu 8.04, 8.10, 9.04, 9.10; Mandriva
PC	Pentium 4 – 1 GHz processor (800MHz for Vista), 512 MB of RAM, 1024x768 resolution, 1.5 GB of Free Disk space
Mac	Intel Processors (Universal Binary), 512 MB of RAM, 1024x768 resolution, 3.0 GB of Free Disk Space
Installation	Operation and use of the ActiVote devices requires ActivInspire software and ActivHub (included). Importing ExamView® and XML files, Export questions and answers to Excel™ requires ActivInspire Professional Edition (included). User with administrator/privileged access rights required for software installation.

WARRANTY AND SUPPORT

ActiVote	One-Year Warranty (Return-To-Base) 90-Day Telephone Support and One-Year Email Support KnowledgeBase: www.prometheankb.com

Audience Response Systems

Logical Choice Technologies, Inc.

10067 $1689.70

Promethean AE1KIT25AMEU

TECHNICAL SPECIFICATIONS

Range	100m (328ft) [Free Space]
LCD Interface	128 x 128 pixels, 36mm x 38mm (1.4in x 1.5in), 4 level grey scale, Reflective Polarizer
User Input	8 Intelligent 'hot keys', 4 'navigation keys' and 10 alphanumeric keys 3 keyboard layout options, Latin, Arabic or Cyrillic
Max Number of Devices per System	500
Batteries	3xAA Alkaline, replaceable via security screw
Battery Life	Typical usage 2 Years
Communication	Wirelessly with the ActivHub 2.4 GHz inserted in computer or ActivBoard 300 and 300 Pro
Languages	English, Dutch, French, German, Italian, Portuguese, Spanish, Finnish, Norwegian, Swedish, Danish, Turkish, Kazakh, Russian, Arabic, Brazilian Portuguese. Available languages dependant on variant.
Certifications	CE, FCC, RoHS
Overall Dimensions	73mm x 132mm x 31mm (2.9in x 5.2in x 1.2in)
Weight	205g (7.2oz)
Operating Temperature	0°C - 50°C (32°F- 122°F)
Storage Temperature	-10°C - 60°C (14°F - 140°F)
Pack Contents List	ActivExpression devices packed in a soft carrying case, ActivInspire Professional Edition DVD, 1 ActivHub, 1 security screwdriver, Quick Start Guide (batteries are included in each device)

GENERAL SPECIFICATIONS

Response Types	Multiple Choice, True/False, Y/N, Multiple Response, Put in Order, Gap Fill words, Likert scales, Confidence Checking & Alphanumeric response
Text Response	Words, phrases, numbers, symbols and punctuation (up to 120 characters)
Question Data Import	ExamView® XML importer
Question Data Export	Questions and results can be exported to Excel™
Working with other Applications	Interface (Express Poll/Wonderwheel) tool can "float" over most computer applications such as web browsers, Word™, Excel™
Question Preparation	Question Wizard allows for preparing questions with correct answers Questions can be timed Express Poll allows for on-the-fly questioning
Response Monitoring	Results can appear instantly or viewed at a later time Users can be allowed to modify their response Results can be captured either by user's name or anonymously
Self-Paced Learning Questions	Questions are downloaded to and can be viewed on each device
Self-Paced Learning Question Preparation	Question Wizard includes settings for order, difficulty level and duration of questions
Self-Paced Learning Response Monitoring	Responses are immediately visible via a color-coded timeline

MINIMUM COMPUTER REQUIREMENTS

Operating Systems	Windows XP SP2 and above (XP/Vista/7) Mac OSX 10.4.11 – 10.6.1 (Tiger/Leopard/Snow Leopard) Linux Ubuntu 9.04, 9.10; Debian
PC	Pentium 4 – 1 GHz processor (800MHz for Vista), 512 MB of RAM, 1024x768 resolution, 1.5 GB of Free Disk space
Mac	Intel Processors (Universal Binary), 512 MB of RAM, 1024x768 resolution, 3.0 GB of Free Disk Space
Installation	Operation and use of ActivExpression devices requires ActivInspire software, included ActivHub and an available USB port on either the computer or ActivBoard. Importing ExamView® and XML files, Export questions and answers to Excel™ and Self-Paced Learning requires ActivInspire Professional Edition (included). User with administrator/privileged access rights required for software installation.

WARRANTY AND SUPPORT†

ActivExpression	One-Year Warrenty(Return-To-Base) 90-Day Telephone Support and One-Year Email Support KnowledgeBase: www.prometheankb.com

Audience Response Systems- Speakers

Logical Choice Technologies, Inc.

10941 $187.45 Promethean audio – UPG-300-US

Audience Response Systems

RM Educational Software, Inc.

iRespond 0049-IRES-UL24P $734.74 UltraLite 24

iRespond 0049-IRES-UL32P $916.84 UltraLite 32



*i*Respond-UltraLite

The Classroom Response System that Fits Any Budget

The *i*Respond-UltraLite is the perfect solution for those who have limited budgets yet want the reliability of Radio Frequency remotes in their classrooms. The UltraLite is powered by the same proprietary Teacher's Dashboard software as all other *i*Respond products.

This streamlined version of our personal response system lets you gather formative assessment on your students during classroom lectures. You are able to see how your students are doing in real time and even which students have not yet answered a question. This knowledge ensures 100 percent student participation.

You know every student's comprehension level at all times! This allows you to concentrate on the areas in which your students need the most help - a great way to improve student performance.

Small but Powerful

Don't let the size of the *i*Respond-UltraLite fool you. This unit packs a powerful punch. In addition to real-time grading you can create a number of reports, everything from state standards reports and student test results to detailed test analysis reports.

Remember, the UltraLite uses Radio Frequency technology which is more reliable and faster than comparably priced infrared units still being offered by others.

Students Use Any Remote

Students log in using a unique PIN so any student may use any remote (just like our other products). This standard *i*Respond feature means you are taking attendance as your students log in. You may also use any remote as a teacher's remote when you log in.

Question Types

+ Multiple choice (Up to 5 choices)
+ True/False
+ Yes/No
+ Content item
+ Survey

More Reasons to Choose *i*Respond-UltraLite

+ Fully interfaced with PowerPoint
+ Unique log in allows for multiple users.
+ Add audio/video and Web links to presentations.
+ Radio Frequency for faster, more reliable communication.
+ Lowest cost solution available.
+ Small size is ideal for younger children.
+ Optional lanyards and carrying case available.
+ Delivered with our Teacher's Dashboard Software.

Audience Response Systems

RM Educational Software, Inc.

iRespond 0049-IRES-U24P $976.84 Lite 24

*i*Respond-Lite

Designed for Real Time Functionality and All Day Use

The *i*Respond-Lite personal response system is a cost-effective way for any instructor to instantly become more productive. Combined with our proprietary Teacher's Dashboard software, you may take attendance, collect homework, track formative assessment, lecture, give timed tests, interact with every student, reduce the drudgery of grading, produce meaningful state standards reports, and much more.

The *i*Respond-Lite is a wonderful addition to any classroom from kindergarten to graduate school. It is perfect for corporate training or you may even use it at a town hall meeting when you just want to capture the audience's opinion, for example.

Question Types

- Multiple choice
- True/False
- Multiple response
- Yes/No
- Content item
- Numeric fill-in-the-blank (by using the numeric keypad)
- Survey
- Up to 5 answer choice capability using multiple choice or multiple select type questions

Display Screen

- 2 line x 8 character display screen
- Displays question number and answer selected
- Displays student grade, class average, teacher messages, and feedback

Teacher Remote Option

- Unique PIN login allows any remote to be the teacher's remote
- Teacher's are free to move about the classroom
- Remotely send prepared questions in sequential order
- Create a "question on the fly" and send it to students using the remote
- Send question feedback to the entire class

More Reasons to Choose *i*Respond-Lite

- Fully interfaced with PowerPoint
- Create a quick answer key for instant testing
- Use the "first responder" feature to foster classroom excitement and competition
- Supports paper-based, oral and projected tests
- Allows you to assess individual students, teams, or the entire class
- Independent operation for homework and field trips
- Unique PIN login allows students to use any remote
- Flag questions for review
- Radio Frequency two-way interactive communication
- Runs on AA batteries
- Pricing includes everything you need
- Multiple state standards based reports available to print or e-mail
- Create study guide for students
- Add audio/video and Web links to presentations

Audience Response Systems

RM Educational Software, Inc.

iRespond 0049-IRES-L24P $976.84 Lite 24

*i*Respond-Lite

Designed for Real Time Functionality and All Day Use

The *i*Respond-Lite personal response system is a cost-effective way for any instructor to instantly become more productive. Combined with our proprietary Teacher's Dashboard software, you may take attendance, collect homework, track formative assessment, lecture, give timed tests, interact with every student, reduce the drudgery of grading, produce meaningful state standards reports, and much more.

The *i*Respond-Lite is a wonderful addition to any classroom from kindergarten to graduate school. It is perfect for corporate training or you may even use it at a town hall meeting when you just want to capture the audience's opinion, for example.

Question Types

+ Multiple choice
+ True/False
+ Multiple response
+ Yes/No
+ Content item
+ Numeric fill-in-the-blank (by using the numeric keypad)
+ Survey
+ Up to 5 answer choice capability using multiple choice or multiple select type questions

Display Screen

+ 2 line x 8 character display screen
+ Displays question number and answer selected
+ Displays student grade, class average, teacher messages, and feedback

Teacher Remote Option

+ Unique PIN login allows any remote to be the teacher's remote
+ Teacher's are free to move about the classroom
+ Remotely send prepared questions in sequential order
+ Create a "question on the fly" and send it to students using the remote
+ Send question feedback to the entire class

More Reasons to Choose *i*Respond-Lite

+ Fully interfaced with PowerPoint
+ Create a quick answer key for instant testing
+ Use the "first responder" feature to foster classroom excitement and competition
+ Supports paper-based, oral and projected tests
+ Allows you to assess individual students, teams, or the entire class
+ Independent operation for homework and field trips
+ Unique PIN login allows students to use any remote
+ Flag questions for review
+ Radio Frequency two-way interactive communication
+ Runs on AA batteries
+ Pricing includes everything you need
+ Multiple state standards based reports available to print or e-mail
+ Create study guide for students
+ Add audio/video and Web links to presentations

Audience Response Systems

Schoolhouse Electronics

Smart srp-pe-24 $1399.00

Smart srp-pe-32 $1749.00

A Insert quizzes into SMART Notebook lessons
B Manage data with the Teacher Tools feature
C Access the built-in gradebook

SMART Response

SMART Response software

Integration with SMART Notebook software
Create dynamic assessments that feature images and other multimedia content. SMART Notebook software offers more than 6,600 pieces of graphic-rich digital content.

Teacher Tools
Access, view and manage all assessment data in one location. This management feature allows you to create class lists and set up, conduct, and manage tests and quizzes.

Comprehensive gradebook
Use the built-in gradebook to track performance reports that are automatically collected and saved to one easily accessed file. You can also create reports that show grades for the entire school year.

Content pages
Insert content pages between questions to enhance any quiz, test or exam.

Multiple assessment options
Compile tests for formative and summative assessment, prepare quizzes or exams in advance and ask spontaneous questions to gauge students' comprehension at any point during a lesson.

Question variety
Ask different types of questions, including true or false, yes or no, multiple choice, numeric response and multiple answer.

Import and export content
Access free question sets that are correlated to curriculum standards on SMART's education website and other third-party websites. SMART Response is fully compatible with Microsoft applications and other commonly used file formats.

Flexible marking
Create assessments that assign different point values to individual questions, and adjust student scores in the gradebook.

Tagging
Tag student names and assessment questions with keywords to track specific characteristics you can use to measure and evaluate student performance in greater detail.

Hardware

SMART Response includes a receiver, remotes and software. The system is available in 24- or 32-unit packages, and is compatible with both Microsoft Windows® and Mac OS operating systems. For full system requirements, please visit **www.smarttech.com/response**.

Remotes

Radio frequency technology
The system provides a reliable and convenient wireless connection between the student remotes and receiver. You don't need a line of sight, and the remote has a range of up to 100 feet (30 m).

Large LCD screen
The screen displays three lines of text. Students can see if their responses have been sent and can review the battery power and network connection.

Ergonomic design
The handheld remote is easy-to-use and comfortable for young students to hold.

Extended battery life
Each remote uses two AA batteries, which are long-lasting and easy to replace.

Receiver

Easy connection and installation
The receiver hooks up easily through a USB connection and supports 60 remotes. No extra power supply is required.

Convenient maintenance features
LED lights indicate power status and whether information has been sent or received.

Authorized SMART reseller

Schoolhouse ELECTRONICS
877-572-4600

SMART Technologies
Toll Free 1.888.42.SMART (U.S./Canada)
or +1.403.245.0333
www.smarttech.com

Extraordinary made simple™ | SMART

Audience Response Systems

Troxell Communications, Inc.

Qwizdom Q2024M $1051.02

Qwizdom Q2032M $1341.10

Srp-pe-32 $1749.00

Qwizdom introduces the Q2 remote, a device that provides the same high-quality technology as Qwizdom's more sophisticated remotes (the Q4 and Q5) in a smaller package and minimized feature set.

In addition to facilitating standards-based radio frequency communication, the Q2 uses a three-row custom e-Ink display that supports display of three-digit numbers, right/wrong feedback, low battery, and 'mode' indicators. It also allows numerous question types, including Multiple Choice, Numeric, Yes/No, True/False, and Rating-Scale.

System Features:

- Use seamlessly with your favorite applications onWindows or Macintosh.
- Access thousands of premade lessons, question sets,and learning objects.

Automatically enter and score students' responses.

Specifications:

- Two-way RF Technology based on 802.15.4 IEEE standard.
- Custom E-Ink™ display with right/wrong feedback capability.
- 11.5 x 5.2 x 1.6 (cm) (LxWxD)
- Weighs 2.05oz.
- Uses two AAA batteries-improved battery conservation.

Supports Multiple Choice, True/False, Yes/No, andRating Scale question types.

Audio Cassette

Tape Central, Inc.

Maxell MC60UR $2.05 /pk

Microcassette Ideally suited for use in portable microcassette recorders and dictation equipment. 60 minute, 3/pk

---

Audio Recorder

Troxell Communications

Coby MP5502GBLK $17.61 (price for 10 shipped 1 time to 1 location)

- Convenient clip design
- Integrated flash memory
- Plays MP3 and WMA digital music files
- Random (shuffle) music playback
- Key lock prevents accidental key presses
- USB 2.0 Hi-Speed for fast file transfers
- Integrated rechargeable battery

Memory		
	Memory Included	2GB
Connections		
	Audio Output	3.5mm Headphone
Media/Format Support		
	Media Support	Integrated Flash
	Audio Format Support	MP3, WMA
General		
	Computer Interface	USB 2.0 Hi-Speed
	OS Support	Windows 7/Vista/XP/2000
	Certifications	FCC, CE
Power		
	Battery Type	Integrated Rechargeable Lithium Polymer Battery
	Battery Life	Audio Play Time: 7hr
Weights, Measurements & UPC		
	Unit Dimension (WHD)	2.52" x 0.86" x 0.34"
	Package Dimension (WHD)	5.5" x 8" x 1.75"
	Inner Carton Qty	1
	Master Carton Qty	10
	UPC	2G BLK: 7 16829 75504 4; 2G BLU: 7 16829 75514 3; 2G RED: 7 16829 75524 2; 2G SVR: 7 16829 75534 1

AV Cart

Technology Purchasing Partners, LLC

Dalite 4503E-5 $66.90

- 26” cart
- AV2 model carts provide an 18" x 24" top shelf.
- Fully assembled for convenience and robotically arc welded for added strength.
- High quality 4" casters and o-rings for smooth and easy operation.
- AV2 models recommended for use with 17”-20” monitors

AV Cart

Technology Purchasing Partners, LLC

Dalite 4504E-5 $72.95

- 34” cart
- AV2 model carts provide an 18" x 24" top shelf.
- Fully assembled for convenience and robotically arc welded for added strength.
- High quality 4" casters and o-rings for smooth and easy operation.
- AV2 models recommended for use with 17"-20" monitors.

AV Cart

Technology Purchasing Partners, LLC

Dalite 4505E-5 $75.95

- 42” cart
- AV2 model carts provide an 18" x 24" top shelf.
- Fully assembled for convenience and robotically arc welded for added strength.
- High quality 4" casters and o-rings for smooth and easy operation.
- AV2 models recommended for use with 17"-20" monitors.

AV Cart

Logical Choice Technologies

Bretford BB44-E4 $146.46

Designed for up to a 27” diagonal CRT style TV and is 44” high. Top and middle shelves are 32”W x 22”D and are 10 1/2” apart> Bottom shelf is 32”W x 27 1/2”D and is 23” below the middle shelf. 4” industrial stem casters, two locking. “E” models includes 6outlets.

AV Cart

Tape Central, Inc.

Luxor STC111-B $59.60

STC111 TUB Utility Cart

The STC111 TUB Utility Cart has three bottom TUB shelves to keep virtually any item inside. Transportatoin is made possible with 4" casters, two with locking brakes.

- 24"W x 18"D x 40 1/2"H
- 2 3/4" deep tubs
- Shelf Clearance: 12"
- Weight: 29 lbs

AV Cart

Tape Central, Inc.

Luxor OHT32-B $90.40

OHT-32 Plastic Over-Head Projector Cart

is a light weight black plastic overhead projector cart designed for efficient use and increased accessibility to teaching/presentation materials. It maintains a very sharp-looking and compact footprint while still offering sought-after features like a 3-outlet electric surge protector and ball bearing casters. Offered for a very attractive price, this cart is tough to beat for all that it offers in terms of size, efficiency, and ease of use.

- Reliable
  3-outlet, 15' electric UL listed assembly
- Easy to Move
  Integral safety push handle
- Large Wheels
  4" ball bearing casters, two with locking brake
- Secure your Gear
  Includes set of 4 grip pads to keep equipment from sliding

AV Cart

Technology Purchasing Partners, LLC

Luxor OHT30-B $104.90

OHT30 Over-Head Projector Cart

For simplicity and ease of use while seated, the Luxor OHT-30 overhead projector cart is peerless. It includes two sets of legs to allow top shelf height to match projector height. Available in black.

- Reliable
  3-outlet, 15' electric UL listed surge protector
- Keeps Tidy
  Molded cord wrap
- Adjustable
  Two sets of legs to allow top shelf height to match projector

AV Cart

Tape Central, Inc.

Luxor LPDU0E-B $66.90

Low Priced 18" x 24" Shelf Plastic Tables -

- Includes multiple leg sets that will allow you to make either a 16", 26", 34" or 42" tall cart!
- Lifetime warranty.
- Molded plastic shelves and legs won't stain, scratch, dent or rust.
- Electric in handle and big wheel design are patented.
- Cabling hole in top shelf for cord management.
- Integral safety push handle and cord wrap.
- Retaining lip around each shelf.
- Optional 3-outlet, 15' UL listed power cord mounts in handle.
- 4" ball bearing casters, two with locking brake, unless Big Wheels Specified
- Assembly required.

AV Cart

Technology Purchasing Partners, LLC

Luxor OHT42-B $112.95

OHT42 Over-Head projector Table

designed for large overhead projectors. It is a sturdy stand for your projector and also includes a large work area to manage your transparencies and other supplies. Assembly is required. Black color only.

- Mobile
  This 42" over-head projection stand can go wherever you do. It has generous casters with two locking brakes.
- Functional
  This unit is not just a sturdy and mobile stand. It has an ample area for storing transparencies as well as a broad bottom shelf for other supplies as well.

AV Cart

Tape Central, Inc.

Luxor AVJ42/C5I $87.60

AVJ Series

The AVJ42 Series carts feature:

- Roll formed shelves with powder coat paint finish in black, red, yellow, royal blue and green (cabinet models in black only)
- Adjustable height from 24" to 42" in 2" increments
- Tables are robotically welded.
- Cables pass through holes.
- 1/4" retaining lip around each shelf.
- 3-outlet, 15' UL and CSA listed electrical assembly with cord plug snap.
- 4" ball bearing casters, two with locking brakes.
- AV and AVJ models have safety mats.
- Big wheel models available.
- Cabinet models have reinforced locking doors with full length piano hinges.
- Shelves are 24"W x 18"D

AVJ42KB
Same features as the AVJ42 with the addition of a pull-out keyboard and mouse shelf. Wt. 50 lbs. Available in black, red, yellow, royal blue and green. (Cabinet model - AVJ42KBC available in black only.)

AVJ42KBDL
Same features as the AVJ42KB with the addition of two 11"W x 18"D drop leaf shelves. Wt. 65 lbs. Available in black, red, yellow, royal blue and green.

AVJ42KBCDL
Same features as teh AVJ42KBDL with the addition of a locking steel cabinet. Wt. 77 lbs. Available in black only.

AVJ422KB4
Four shelf version of the AVJ42KB with two keyboard shelves. Can be used as a stand up or sit down multi-media presentation center. Wt. 52 lbs. Available in black only.

AV Cart

Tape Central, Inc.

Luxor ATV56 $97.75

ATV56a Multi-Media ATV Cart

The luxury of Luxor's professional television carts makes them a popular choice for multimedia environments. This 36-54" Adjustable High-Gloss Television Cart is a 3-tiered steel mobile cart for every environment. It features 28 x 24" shelves with 1/4" lips and rounded edges. The roomy adjustable shelves fit papers, books, cassettes, and much more; place a TV monitor, up to 19", or a projector on the top shelf.

Two of the smooth 4" wheels are easy locking for stability, and the durable build will last you for years to come.

- Spacious Shelves
- High Gloss, Bright Colors
- Height Adjustable
- Stop & Go Smooth Wheels

AV Cart

Highsmith, a division of GHC Specialty Brands, LLC

7262E$166.92

- AV8 models have a 24" x 38" top.
- Pre-assembled for convenience and robotically arc welded for added strength.
- UL listed models include 5" casters and safety belt.
- AV8 series recommended for use with 38” monitors

AV Cart

Tape Central, Inc.

Luxor LEM32K-B $131.70

LEM32K Mobile Workstation

The LEM32K Mobile Workstation features one flat shelf with keyboard tray and a cut out bottom shelf for leg room. The unit is mobile with 4" casters, two with locking brakes. Comes with a surge suppressing electrical unit a unique "cable track" cord management system.

- Features One flat shelf with keyboard tray and a cut out bottom shelf for leg room
- Retaining lip and sure grip safety pads prevent equipment from sliding
- Available in Black, Gray, or Putty
- Weight: 41 lbs
- Dimensions: 32"H x 32"W x 24"D
- Shelf Dimensions: 19.5"W x 16"D

AV Cart

Tape Central, Inc.

Dalite PM7UL-47 JF-W/E3 $266.89

The PixMate® Flat Panel Stands are UL listed and feature heavy duty five inch swivel casters.

Monitor mount works universally with most flat panel monitors up to a 50" diagonal. The unique rail mounting system ensures an easy installation for the monitor with the added security of a key operated lock. Mount provides 5 degrees of backward tilt and 15 degrees of forward tilt.

PM7UL-47JF accommodates monitors up to 70 pounds and is height adjustable to 45 or 47 inches.

AV Cart

Tape Central, Inc.

Bretford FPBB32KTI-BK $155.85

Flat Panel Retrofit Kit for CRT TV Carts

For use on BB44, BB48. BBRB48, BBC48, BB54, BB54SX, and BBC54 series wide body carts for CRT style TVs. Original top shelf

---

AV Cart

Tape Central, Inc.

Luxor LP42LPE-B $132.70

The LP42 Pull-out Shelves feature:

- Pull-out laptop shelf
- 3-Outlet electic assembly with 15' cord
- Polyethelene shelves will not scratch, dent, rust or stain
- Built in cord wrap
- 4" casters, two with locking brake
- 24"W x 18"D x 42"H
- 400 lb. weight capacity
- Easy assembly
- Color: Black

LP42LPE
Pull-out Front & Side Shelf without Cabinet

AV Cart

Tape Central, Inc.

Luxor LP42CLPE-B $191.40

The LP42 Pull-out Shelves feature:

- Pull-out laptop shelf
- 3-Outlet electric assembly with 15' cord
- Polyethelene shelves will not scratch, dent, rust or stain
- Built in cord wrap
- 4" casters, two with locking brake
- 24"W x 18"D x 42"H
- 400 lb. weight capacity
- Easy assembly
- Color: Black

LP42CLPE
Pull-out Front & Side Shelf with locking Cabinet

AV Cart Accessories

Tape Central, Inc.

Dalite 5994 $8.00

Safety Belts
Securely fasten monitors and
projectors to carts
cinchable (A-552)
Tested
for 600 lbs.

AV Cart Accessories

Tape Central, Inc.

Dalite 7066 $56.25

7066 For AV2-34 and PM2-34, black drapery kit, 34”

AV Cart Accessories

Highsmith, a division of GHC Specialty Brands, LLC

7067 For AV2-42 and PM2-42, black drapery kit, 42”

AV Cart Accessories

Tape Central, Inc.

Dalite 5399 $14.00

Three-outlet electrical, 20' long with molded plug. UL Listed, 1250 Watt.

AV Cart Accessories

Logical Choice Technologies

Bretford RM1820 $10.89

Bretford RM1824 $10.89

Model#	Description	W x D x H (in/cm)
RM1820	Ribbed Rubber Mat	20 x 18 x 0 in
RM1824	Ribbed Rubber Mat	24 x 18 x 0 in

Rubber Mats
Rubber Mats are designed to minimize slipping of your valuable equipment. These ribbed black mats lay flat on the top shelf of the cart. 1/16" thick - order the mat that corresponds to your shelf size.

AV Cart Accessories

Tape Central, Inc.

Bretford RM2428 $12.04

Bretford RM2030 $9.89

RM2428	Ribbed Rubber Mat	28 x 24 x 0 in
RM2030	Ribbed Rubber Mat	30 x 20 x 0 in

Rubber Mats
Rubber Mats are designed to minimize slipping of your valuable equipment. These ribbed black mats lay flat on the top shelf of the cart. 1/16" thick - order the mat that corresponds to your shelf size.

AV Lamps

Scott Electric

Sylvania DYP $5.00

GE DYS/DYV $2.80

GE ENX $3.40

GE ENX-5 $3.50

GE EYB $2.70

GE EYB-5 $2.75

GE FXL-$3.80

Boombox

Troxell Communications, Inc.

Califone 2455AV-03 $197.40

Performer Plus

The Performer Plus is the most flexible multimedia player/recorder designed for use in educational settings.

Its 14-watts are powerful enough for projecting music or voices out to 100 students, and with a built-in mic input, it enables the Performer Plus to be also used as a PA system for making announcements.

The upgraded Performer Plus can now read CD, CD-R, CD-RW, and MP3-CDs, enabling it to play discs burned by personal computers. It also has variable speed playback (up to +/- 15% in increments of 3%) for its CD/Cassette players, making it ideal for differentiated language learning as well as music & dance instruction.

It also has built-in learning center capabilities, making it perfect for classroom and library uses too. There are five 1/4" headphone jacks on the rear and a single 3.5mm headphone jack on the top, enabling the Performer Plus to be used for independent study and group activities.

There's also a built-in electret mic for recording student responses, for testing purposes, charting individual progress, or class projects and it can't be misplaced!

Since equipment that's used in schools, libraries, playgrounds, and classrooms need to be durable as well as long-lasting, the Performer Plus is made with rugged ABS plastic. This type of plastic is stronger and more resistant to shattering if the Performer Plus were to fall or be accidentally dropped.

- 14 Watts RMS loud enough for groups up to 100 people and can also be used as a mini public address system
- Built-in mic records lessons/student responses
- Variable speed playback on cassette/CD players
- Plays CD, CD-R, CD-RW, MP3-CDs
- AM/FM stereo
- Line input/output connects with computers & other equipment
- 6 built-in headphone jacks for listening center capabilities
- 3.5mm & 1/4" mic inputs for public address uses

Boomboxes

Califone recommends using C-60 tapes or shorter.
Longer tapes are thinner and more prone to breakage.

Updated on: 6/2/10

Boombox

Tape Central Inc.

Califone 2385AV-03 $102.99

MP3 Capable Music Maker™
Multimedia Player

The MP3 capable Music Maker is designed to support audio assisted classroom learning. Engineered for durability and reliability, it's made with rugged ABS plastic (which won't shatter) unlike most consumer products so it will stand up to daily classroom use. It has a cassette recorder / player, 20 track programmable CD player, and an AM-FM stereo. It can also play teacher created digital content to help with customizing materials for differentiated learning situations such as working with students to promote phonemic awareness, phonics, comprehension, vocabulary, ELL, ELD and other language learning activities.

Store bought CDs are formatted CD containing CDA files (which prevent the copying of copyright material), which the majority of CD players can read and play. CDs burned by consumers duplicate an exact copy of the original (including the CDA files). Most CD players will play copied CDs unless they have a mechanism that will not allow copied copyright material to be read by the CD drivers. MP3 audio files use a unique format (with a greatly reduced file size) which allows someone to put more content onto a single CD. Only certain CD players can read this unique disk. You cannot create an MP3 CD and use it with any CD player even though the CDs may appear identical. However the files inserted onto the disk are indeed different. The MP3 capable Music Maker can read this unique CD.

Califone recommends that customers use a program that automatically converts wma, wav and other associated files into MP3 formats. The reason for this is that such programs automatically convert the files so you don't have to manually convert them. If you do not have software such as this, than make sure that you convert the files to MP3 files via generic burning software. The Califone boom box can only read MP3s and Cdda files. Cdda's are the standard file format for store bought CDs; and Mp3's are the standard compressed files used for music or general audio files.

Since the rate of play on CD's is slower than the larger memory cache stores information, the Music Maker™ will occasionally stop spinning the CD (even though music will continue to be heard). This is to be expected until the memory is depleted and more information can be re-uploaded into the buffer

- 6 Watts RMS powerful enough for up to 75 people
- Built-in electret mic records student progress, class projects and can't get lost
- Digital audio controls on top w/ separate bass/treble controls
- Top-loading CD player with CD/CD-R/CD-RW and MP3 playing capability to play CDs burned at home/ school
- CD digital counter and 2X cassette counter
- Headphone/ microphone and external speaker jacks on rear for individual learning or to connect a jackbox for use as a group listening center
- Phase Lock Loop (PLL) digital AM/ FM stereo
- Recessed speakers with protective steel grills to prevent accidental damage
- External casing made with rugged ABSplastic for safety and durability in high-use situations
- Cassette player also records from the CD player, radio and microphone inputs
- Full-function remote control (RC2300-USB) for classroom flexibility and performance
- AC and battery operation for indoor / outdoor flexibility
- One year warranty for school use - unlike media players purchased from consumer electronics stores whose warranties would be voided if used in schools

Boombox

Tape Central, Inc.

Sony ZSS-21PBlack $71.65

Sony ZS-S2iP BLACK **Features**

Overview: The Sony ZS-S2iP AM/FM, CD Boombox for iPod features a retractable front-panel iPod dock for listening to your iPod, a top-loading CD mechanism and a built-in AM/FM tuner. The Sony Boombox also features a 3.5mm auxiliary input and headphone output. The unit operates off of AC power as well as DC power (6 batteries "C" batteries not included).

iPod Compatibility: The boombox features a retractable iPod dock which allows you to adjust the dock to fit your iPod. The Sony ZS-S2iP is "Made for iPod/iPhone compatible" and supports the following iPod/iPhone model functions

---

Cassette Recorder

Tape Central, Inc.

Califone 1300AV $29.00

The Budget Recorder/Player is educator tested and proven in library and classroom listening centers, music/ movement/story time activities, literacy groups, ELD and ESL applications.

- For independent study or group use when a jackbox is connected
- Built-in mic records student achievements and can't be misplaced
- Rugged ABS plastic exterior and is C-UL/CE approved safe for school use

CD/DVD Duplicator Unit

Schoolhouse Electronics

Teac DVW/D11Akit $189.00

DVW/D11A/KIT 1x1 Stand-Alone 16x CD/DVD Duplicator is a stand-alone disc-to-disc DVD Duplicator system requiring no PC Connection. It can duplicate a single master DVD to a DVD±R at up to 16x speeds, resulting in an exact replica of a DVD disc in just over 6 minutes.

- Manufacturer: Teac America, Inc
- Manufacturer Part Number: DVW/D11A/KIT
- Manufacturer Website Address: www.teac.com
- Brand Name: Teac
- Product Model: DVW/D11A/KIT
- Product Name: DVW/D11A/KIT 1x1 Stand-Alone 16x CD/DVD Duplicator
- Product Type: Standalone CD/DVD Duplicator
- Optical Drive: 1 x DVD-Writer
- Simultaneous Copies: Not Applicable
- Buffer: 8 MB, 8MB
- Write Speed: 16x DVD+R, 48x CD-R
- Read Speed: 48x CD-ROM, 16x DVD-ROM
- Interfaces/Ports: Not Applicable
- Dimensions: 6.7" Height x 7.5" Width x 11.2" Depth, 6.70" Height x 7.50" Width x 11.20" Depth

---

CD-Cassette Players/Recorders

Troxell Communications, Inc.

Hamilton MPC5050 $58.91

SPECIFICATIONS

The Hamilton MPC-5050 Portable Boom Box offers superb functionality and heavy-duty design that will be hard to match. The MPC-5050 features a fully programmable CD player, cassette recorder, microphone input, and a built-in AM/FM radio tuner. The MPC-5050 is designed and built to withstand the rigors of classroom use while providing high quality sound.

Product Features:

- Programmable CD Player w/repeat play
- Built-in cassette recorder, records from CD or built-in microphone
- Receives AM/FM stereo broadcasts
- Dual Power: AC or 8 "D" size batteries
- Six 1/8" headphone outputs
- Stylish silver/blue housing
- Output Power: 4W RMS
- Dimensions (WxHxD) 14 x 10 x 8"
- 7 lbs
- Runs on AC or DC (8 D-Type Batteries, not included)

Weight: 7 Lbs.
Warranty: 1Year

CD-Cassette Players/Recorders

Troxell Communications, Inc.

Hamilton MPC-6060 $90.79

Fully programmable 20 track CD player w/ repeat play and search

- Dual Cassette
- Records from CD, radio, cassette or built-in microphone jack
- 2x high speed dubbing
- Receives AM & FM stereo broadcasts
- Built-in 1/8" headphone jack
- AC/DC

Weight: 8 Lbs.

Warranty: 1 Year

CD-Cassette Players/Recorders

Tape Central, Inc.

Califone 2395AV-02 $113.10

The Music Maker Plus supports phonemic awareness, phonics, comprehension, vocabulary, ELL, ELD and other language learning programs. Built for reliability in schools, it delivers classroom flexibility with dual cassette recorder / players, 20 track programmable CD player and AM-FM stereo.

Rugged all-purpose multimedia center for language development in primary levels

Versatile multimedia center with AM-FM radio and choice of single/dual cassette player/recorders

Top-loading CD player for convenient desk top use

Remote control now included for lesson flexibility

CD-Cassette Players/Recorders

Tape Central, Inc.

Califone 5272AV $89.47

Deluxe Series
Player/Recorders

The Deluxe Series is built for reliability and performance in school environments. It offers maximum flexibility for use in library and classroom listening centers, music and movement, story-time activities and playback of recorded books. It can also be used for presentations where its Directional Sound™ feature distributes the sound out to the audience, not up at the ceiling.

- On/off public address capability adds versatility and reliability in unforeseen situations
- Seven built-in headphone jacks for independent study or group learning applications
- "Directional Sound" features projects audio out to class instead of up at ceiling
- Built-in mic for recording student progress or class projects and won't be misplaced
- Educator tested and proven in library and classroom listening centers, music and movement, language, story time activities, ESL instruction and playback of recorded books

CD-Cassette Players/Recorders

Troxell Communications, Inc.

Hamilton HA 8028V $37.81

Hamilton HA802 AC/DC cassette tape player records with an internal microphone or optional remote mic and includes an 8-station jackbox!

The Hamilton HA802 AC/DC cassette tape player & cassette tape recorder drives an internal 3 inch speaker with 1 Watt of RMS power to provide loud and clear audio to as many as 30 students.

Record great-sounding presentations with that Hamilton HA802's built-in condenser microphone and automatic level control. The Hamilton HA802 also includes a pair of jacks to add a remote microphone for detailed recordings.

With 2 included headphone jacks, personalized instruction for one or two students is as simple as plugging in optional headsets.

The Hamilton HA802's auto-stop feature ensures long life of your cassette media, and cuts down on the expense of replacing tapes.

With AC/DC power capabilities, the Hamilton HA802 can function either on 4 "C" batteries (sold separately) or with a 5 foot AC power cord. A convenient storage compartment for the cord is built into the body of the Hamilton HA802.

Included in this package with the Hamilton HA802 is an 8 station jackbox (with volume controls) that allows private audio instruction for up to 8 students with optional headphones.

The Hamilton HA802 cassette tape recorder & player's rugged design offers superior performance and reliablility for everyday classroom use!

CDR-R Disks

Tape Central, Inc.

Maxell MCDR80JC $3.50/pack of 10

Maxell 648250 MCDR80-50 /SP $11.00/pack of 50

Maxell 648200 MDR80-100/SP $18.00/pack of 100



- 50 per pack.
- 80 minute length.
- Write-Once, unalterable data.
- Manufacturer'S limited lifetime warranty.
- Discs come packaged in a spindle.
- The new speeds are backward compatible with older-speed drives.
- 52X.
- Surface color: gold.

Contains 10% Post-Consumer and 20% Pre-Consumer (PIRC) Recycle Content.

- 100 per pack.
- 80 minute length.
- Write-Once, unalterable data.
- Manufacturer'S limited lifetime warranty.
- Perfect for creating and saving large applications.
- 700MB.
- The new speeds are backward compatible with older-speed drives.
- Manufacturer's lifetime warranty.
- Contains 10% Post-Consumer and 20% Pre-Consumer (PIRC) Recycle Content

Digital Media/Flash Drives

Tape Central, Inc.

Verbatim 2GB 95183 $7.80 each

Verbatim 4GB 97087 $9.15 each

Verbatim 8GB 97088 $12.25 each

Verbatim 16GB $26.70 each

2GB Store 'n' Go® USB Drive

2GB

Conveniently store and transport your data on the easy-to-use Verbatim Store 'n' Go USB Drive. Store everything from presentations to photos, video clips and music, all readily accessible on any computer! Add protection for your sensitive files, by using the built-in password security feature.

Features & Benefits | Specifications

- Store 'n' Go™ USB drive makes transporting and sharing files simple
- Works with Windows 7
- Retractable USB Connector - No cap to lose
- Password security feature to protect sensitive data
- Verbatim Limited Lifetime Warranty

4GB Verbatim USB Drive

4GB

Get back to basics—with Verbatim's classic USB drive. Simply transport and share files without the unnecessary bells and whistles. These USB drives give you just the basics—the ability to capture your data in one small, convenient location and carry that information with you throughout the day. The retractable housing protects the USB connectors and easily slides in and out—great for preventing breakage and prolonging product life! Whether you have a lot or a little to save, Verbatim has a classic USB drive to suit your needs.

Features & Benefits | Specifications

- Convenient cap-less design means less to lose and no more searching for lost caps
- Compatible with ALL USB ports
- Compatible with Windows 7, Vista, XP or 2000, Mac OS 9.x or higher, Linux kernel 2.6x or higher
- 5-Year Limited Warranty

8GB Verbatim USB Drive

8GB

Get back to basics—with Verbatim's classic USB drive. Simply transport and share files without the unnecessary bells and whistles. These USB drives give you just the basics—the ability to capture your data in one small, convenient location and carry that information with you throughout the day. The retractable housing protects the USB connectors and easily slides in and out—great for preventing breakage and prolonging product life! Whether you have a lot or a little to save, Verbatim has a classic USB drive to suit your needs.

Features & Benefits | Specifications

- Convenient cap-less design means less to lose and no more searching for lost caps
- Compatible with ALL USB ports
- Compatible with Windows 7, Vista, XP or 2000, Mac OS 9.x or higher, Linux kernel 2.6x or higher
- 5-Year Limited Warranty

16GB Verbatim USB Drive

16GB

Get back to basics—with Verbatim's classic USB drive. Simply transport and share files without the unnecessary bells and whistles. These USB drives give you just the basics—the ability to capture your data in one small, convenient location and carry that information with you throughout the day. The retractable housing protects the USB connectors and easily slides in and out—great for preventing breakage and prolonging product life! Whether you have a lot or a little to save, Verbatim has a classic USB drive to suit your needs.

Features & Benefits | Specifications

- Convenient cap-less design means less to lose and no more searching for lost caps
- Compatible with ALL USB ports
- Compatible with Windows 7, Vista, XP or 2000, Mac OS 9.x or higher, Linux kernel 2.6x or higher
- 5-Year Limited Warranty

Digital Media/SD Cards

Logical Choice Technologies, Inc.

Secure Digital 1GB SD/1GB-AX $12.73

SPECIFICATIONS

Axiom's Secure Digital (SD) card allows secure storage of data files in a form factor the size of a postage stamp. With fast data transfer rates, high capacity storage, and no moving parts; this card is built to be rugged and reliable.

Digital Media/SD Cards

Tape Central, Inc.

Verbatim 2GB-SD $7.60

Verbatim 4GB-SD $9.98

2GB SD™ Card

SD is an increasingly popular storage choice among Digital Still Camera, Digital Video Camera, MP3 player and handheld device makers. Verbatim SD memory cards are fully compliant with all applicable SD standards and provide data security features inherent in the SD format. These security features control access to copyrighted content.

Features & Benefits | Specifications

- High performance: 2MB/s transfer rate (typical)
- Write protect switch prevents accidental data deletion
- Fully compliant with all applicable Secure Digital standards
- Limited Lifetime Warranty

Digital Media/SD Cards

Schoolhouse Electronics

Dane Electric 8GB da-sd8192 $15.00

Dane Electric 16GB da-sd-16gb $28.00

The Dane-Elec 8GB Secure Digital SD Card is great for digital equipment such as digital cameras and camcorders, also personal assistants/PDAs, MP3 players, and Mobile phones. The DA-SD-8192-R also only weights 0.07 ounces and is one sixth of a credit card (32 mm x 24 mm x 2.1 mm) and has a data-transfer rate that varies between 2 and 3 MBs per second. Compared to a Multi Media Card composed of 7 connexion pins, the Dane-Elec 8GB Secure Digital SD Card is composed of 9 connexion pins and this new design allows data to transfer faster. The DA-SD-8192-R has an integrated security mechanism, the CPRM Content Protection insures a high degree of protection and file-encryption. It controls the reading, copying, transfer or erase functions. This way it becomes possible for the user to forbid or authorize the copy or to offer a reproduction right.

Manufacturer Part Number	DA-SD-8192-R
Product Name	8GB Secure Digital High Capacity (SDHC) Card
Manufacturer Website Address	www.dane-elec.com
Manufacturer	Dane-Elec Memory
Product Type	Secure Digital High Capacity (SDHC)
Brand Name	Dane-Elec
Additional Information	Class 4
Form Factor	Secure Digital High Capacity (SDHC)
Storage Capacity	8 GB

16 GB storage capacity

- Cryptographic security for copyrighted data based on proven security concepts from DVD audio
- High transfer rate for fast copy/download
- High storage capacity
- Non-volatile solid-state; no moving parts maximizes battery power. Data is not lost when power is turned off
- Low battery consumption to maximize battery life in small portable devices
- User selectable mechanical write protect switch on the exterior card casing
- Operating shock rating of 2,000Gs, equivalent to a 10-foot drop to the floor
- Unfazed by drastic weather conditions ranging from blistering heat to freezing cold
- Security level complies with Secure Digital Music Initiative (SDMI) portable device requirements
- The SD Card weighs approximately 1.5g, is 32mm x24mm, and is 21mm thick

Digital Video Camcorder

Tape Central, Inc.

Sony DCR-SX44 $238.50

Product Highlights
4GB Internal Flash Memory
Memory Stick Media Compatible
SD/SDHC Compatible
1/8" Advanced HAD CCD Image Sensor
2.7" Clear Photo Touch Panel LCD
60x Optical Zoom
Carl Zeiss Vario-Tessar Lens
Face Detection
LED Video Light
Film Roll and Face Index

Digital Video Camcorder

Tape Central, Inc.

Canon ZR960 $270.00

Standard Definition

Television System NTSC

Video Recording system DV

Image Sensor1/6-inch CCD

Total PixelsApprox. 680,000 pixels

Effective Pixelstape: 16:9 - approx. 360,000 pixels (ADV.Z off)
16:9 - approx. 450,000 pixels (ADV.Z on, wide)
16:9 - approx. 360,000 pixels (ADV.Z on tele)

Tape Format miniDV

Maximum recording Time SP: 80 min.; LP: 120 min. (80 min. cassette)

Document Camera

Camcor Inc.

Elmo TT-02RX $498.98

True color reproduction crisp clear image
- 30 frames per second real time image
- Remote control
- High resolution XGA, WXGA, and SXGA from a 1.39 MP CMOS Sensor
- New Image Mate Software with audio and video recording
- 5.2x optical zoom, 8x digital zoom total of 41.6x zoom
- Easy to use with a microscope
- Intuitive on screen menu
- LED light

Document Camera

Schoolhouse Electronics

Epson DC-06 $289.00

• Amazing clarity and color — native XGA (1024 x 768) resolution
• Large image capture area — display items up to 10.7 x 14.3 inches
• Flexible setup with USB connection — connect to an Epson projector* or PC/Mac computer with included software
• Easy image rotation — 90-degree vertical and horizontal rotation to capture whiteboards and 3D objects, or place items in landscape or portrait view
• Incredible detail — 4x digital zoom
• One-touch auto focus — easily focus on an object
• Bright images in almost any setting — built-in LED (white) light source for true-to-life colors
• Convenient Freeze button — easily pause and/or resume the image
• Intuitive control panel — choose the function you desire
• Portable, compact design — set up or store the document camera quickly and easily
• Everything you need — 10-foot USB cable and soft carrying case included
* Epson PowerLite® 85, 85+, 825, 825+, 826W or 826W+ only

Document Camera

Troxell Communications

Epson DC10 $415.66

Achieve amazing clarity and color with SXGA (1280 x 1024) resolution
Easily display two full pages with a 14x19 capture area
Display bright images in any setting with the built-in LED light source
Share incredible detail with the 40x zoom (5x digital, 8x manual)
Simultaneously display live and captured images using the split-screen function
Rest easy with remarkable Epson reliability, backed by a three-year limited warranty
Get maximum display flexibility with VGA and S-video outputs
Easily switch between your PC and document camera with convenient VGA input
Display pictures from your digital camera using the built-in SD card slot
Choose the function you desire using the intuitive control panel and easy, on-screen menus
Set up or store the document camera quickly and easily with convenient, compact design
Store over 300 JPEG images with 128MB of internal memory

Document Camera

Troxell Communications

Qomo QPC30 $460.73

- 3.0 Megapixel CMOS sensor
- 5.4x optical zoom
- Fully articulated structure
- XGA/SXGA output
- Remote control
- USB 2.0
- Lightweight

QPC30 Manual (May 19, 2010) (560 KB)

QPC30 Brochure Low-Res (Dec 6, 2010) (870 KB)

Importing images from QOMO document cameras to Smart Notebook (May 21, 2010) (374 KB)

Features	**QPC30**
Zoom	5.4x Optical, 10x Digital
Camera	1/3" Pro CMOS
Pixels	3'000'000
RGB Output Resolution	XGA/SXGA
Focus	Auto/Manual
Video/Image Capture Software	Included
Freeze	Y
Saved Image	16
Split Screen	Y
Mirror	Y
Title	Y
Image/Text enhancement	Y
Colour/Black & White	Y
Positive/Negative image	Y
VGA Output	1
VGA Input	1
USB port	USB2.0
Camera Head Rotation	Horizontally 180°
Lens Rotation	Vertically 180°
RGB Output	DB15FLC x 1
Lighting	3W LED lamps
Operating Temperature：	0ºC~40ºC
Power	AC 100~240V，50/60Hz
Dimensions (mm)	Setup： 341x262x492mm Folded： 528x208x159mm
Weight	1.6kg

DVD/CD Pens

Tape Central, Inc.

Memorex MRX 00460 $2.80

Quickly and safely label discs for easy identification

Non-toxic/Safe Waterbased/Permanent ink 4 Colors: Blue, Black, Green and Red

---

DVD Disks

Tape Central, Inc.

Verbatim VER94854 $13.50/pk

Verbatim VER94812 $14.90/pk

DVD+R 4.7GB 8X DataLifePlus, White Inkjet Printable, Hub Printable, 50pk Spindle

50 pk Spindle - White, Hub Printable - DataLifePlus 8X

Create high quality, customized labels for your DVD media with Verbatim White Inkjet Printable DVD-Recordable discs. These discs have been extensively tested for compatibility with inkjet disc printers from Primera, Microboards, Epson and more. Offering 4.7GB or 120 minutes of DVD-quality storage capacity, these are one-time record discs, ensuring that your movies, video clips or other data will not be erased. White Inkjet Printable DVD media is available in DVD+R and DVD-R formats. Today, most DVD writers and readers use these discs interchangeably, with no noticeable performance differences. With older units, check your manufacturer's suggested DVD format to ensure compatibility.

DVD-R 4.7GB 8X DataLifePlus, White Inkjet Printable, Hub Printable, 50pk Spindle

50 pk Spindle - White, Hub Printable - DataLifePlus 8X

Create high quality, customized labels for your DVD media with Verbatim White Inkjet Printable DVD-Recordable discs. These discs have been extensively tested for compatibility with inkjet disc printers from Primera, Microboards, Epson and more. Offering 4.7GB or 120 minutes of DVD-quality storage capacity, these are one-time record discs, ensuring that your movies, video clips or other data will not be erased. White Inkjet Printable DVD media is available in DVD+R and DVD-R formats. Today, most DVD writers and readers use these discs interchangeably, with no noticeable performance differences. With older units, check your manufacturer's suggested DVD format to ensure compatibility.

DVD Player

Technology Purchasing Partners, LLC

Coby DVD224 $27.95

Specifications

Player Type	DVD Player
Video Formats	MPEG-2, MPEG-1, DVD Video
Number Of Discs	224 discs
Product Type	DVD Player
Audio Formats	MP3
Height	52.832mm
Product Model	DVD-224
Package Contents	DVD224 DVD Player AV Cable Remote Control 2 x 1.5V "AAA" Batteries
Width	225.044mm
Video Signal Format	NTSC, PAL
Sound System	Dolby Digital
Manufacturer Part Number	DVD-224 BLK(2009)
Input Voltage	110V AC, 220V AC
Standard Warranty	90
Scanning Modes	Progressive Scan
Depth	284.734mm
Composite Video	Yes
Image Formats	JPEG
Color	Black
Component Video	Yes
Brand Name	Coby
UPC :	716829992241

DVD-R Recorder

Schoolhouse Electronics

Toshiba DR430 $105.80

DR430 Specifications

PLAYABLE DISC TYPES[2]

	DVD-Video/CD-DA/CD-R/CD-RW/ DVD-R/DVD+R/DVD-RW/ DVD+RW/VCD/SVCD

VIDEO

Progressive Out	•
Video D/A Converter	54MHz/10-Bit
Video Upconversion[1]	720p/1080i/1080p
Digital Photo Viewer (JPEG)	•
Y/C Separation	•

RECORDING FUNCTIONS

DVD-R (Video Mode)	•
DVD+R (Video Mode)	•
DVD-RW (VR & Video Mode)	•
DVD+RW (VR Mode)	•
Recording Modes	1H(XP)/2H(SP)/4H(LP)/6H(EP)/8H(SLP)
V-Chip Recording	•
Timer Recording	12 programs/1 month

AUDIO

Audio D/A Converter	192kHz/24-Bit
MP3 Playback[3]	•
Dolby® Digital Recording (2-Ch)	•
L-PCM Recording	XP mode only
3D (Virtual Surround Sound)	•

CONVENIENCE

OSD Language	English/French/Spanish
1.5x FF with Audio	1.3x /0.8x with Audio
Scan FF/REW	2x(fwd), 5x(back), 20x, 40x
Slow-Motion	1/3(fwd), 1/4(back), 1/8x, 1/16x
Instant Skip	•
Zoom (magnifications)	•
Editing Features	Playlist/Rename Title/ Chapter Creation (User and Auto)
Timer Back Up (at standby mode)	30 sec.
Auto Finalization	•

TERMINALS

Component Out	1
HDMI® Out with HDMI®-CEC[4]	1
Rear S-Video Input/Output	1/1
Rear RCA-Video Input/Output	1/1
Front Audio Input	1
Rear Analog Audio Input/Output	1/1
Coaxial Digital Audio Output	1
Front DV Input	1
Front USB Port	1

PRODUCT & PACKAGING

Unit Dimensions (WHD) in.	16.54 x 2.32 x 10.20
Carton Dimensions	20.47 x 5.79 x 14.25
Unit Weight	4.84 lbs
Carton Weight	7.92 lbs
UPC Code	022265003190

DVD/VCR Player

Tape Central, Inc.

Magnavox DV225MG $71.80

“no tuner”

MAGNAVOX

DV225MG9

Dual Player

Product specifications

DVD
- Progressive Scan Video Out
- Plays DVD Video, DVD+R/RW (VR format), CD-R/RW, DVD-R/RW (Video format) Audio CD
- Title, Sub Title Display
- Multi Angle, Skip, Pause and Resume Play
- Program Play, Random Play (CD)
- Zoom (2x, 4x)
- Virtual Surroud System
- Dolby Digital Stream Out

Line-in Recording
- Satellite Link Recording (SYNC Recording to STB Output)
- Power Off through from Line-in to Line-out

VCR
- 4 Head Hi-Fi
- Time / Index Search
- High Speed Search
- Auto Head Cleaner
- Digital Auto Tracking
- Still Frame, Slow Motion
- 1 Year 8 Programming
- OTR (Max 8 Hrs)

Convenience
- LED Indicator
- Trilingual On Screen Display (English / Spanish / French)
- Parental Lock
- Remote Control

Input/Output

• Video Input / Output:	2set / 1set
• S-Video Output:	1set
• Component Video Out:	1set
• Audio Input / Output (L+R):	2set / 2set
• Digital Audio Output (Coaxial):	1set

Weight & Dimension

• Dimensions (WxHxD):	17.2" x 3.8" x 9.2" inch (435 x 94 x 233 mm)
• Weight	5.8 lbs (2.6 kg)
• Dimensions with Package (WxHxD):	21.3" x 7.2" x 13.5" inch (539 x 182 x 342 mm)
• Weight with Package	7.5 lbs (3.4 kg)
• Owner's Manual	English & Spanish
• UL Listed, FCC/DHHS Certificated	

Container Load (approx.)

• 20ft:	880 units
• 40ft:	1,850 units
• 40ft (HC):	2,030 units

*Please confirm with Sales for exact number of quantities.

Rear Panel



DVD Player & 4 Head Hi-Fi Stereo VCR with Line-in Recording

- ***Progressive Scan Video Out***
- ***Virtual Surround System***
- ***Dolby Digital Stream Out***
- ***Satellite Link Recording***
- ***Power Off through from Line-in to Line-out***
- ***4 Head Hi-Fi***
- ***Still Frame, Slow Motion***
- ***S-Video Output***

Extension Cords

Tape Central, Inc.

25’ - 13825 $12.77

50’ - 13850 $23.45

Heavy duty 15 amp: 3 conductor #14AWG. Safety-orange. OSHA-approved. UL PVCC insulation. Molded 3-prong grounded male plug/female receptacle.

Extension Cords

Tape Central, Inc.

Tripp Lite ISOBAR4 $43.65

Tripp Lite ISOBAR6 $49.50

Tripp Lite IBAR4 Typical Applications:

Ideal for premium protection of personal computers with peripherals, network and CAD / CAM / CAE workstations, internetworking accessories, telecommunications systems, point of sale equipment, audio / video and home theater systems in any home, office or industrial application

Tripp Lite IBAR4 Package Includes:

- IBAR4 Surge Suppressor
- Set of 4 outlet safety covers
- Instruction manual with warranty information

Tripp Lite ISOBAR6 Typical Applications:

Ideal for premium protection of personal computers with peripherals, network and CAD/CAM/CAE workstations, internetworking accessories, telecommunications systems, point of sale equipment, audio/video and home theater systems in any home, office or industrial application.

Tripp Lite ISOBAR6 Package Includes:

- ISOBAR6 Surge Suppressor
- Set of 4 outlet safety covers
- Instruction manual with warranty information

Headphone Accessories

Tape Central, Inc.

Califone 1218AVPY $10.40

Califone 1114AVPS $10.40

Strain-relief connectors assures they won't be pulled out, even in the roughest school conditions
Permanently attached cord with 1/4" and 3.5mm plugs attach to all media players
Individual volume control for personalized preferences
Rubber feet so unit will not "walk" or scratch desktop
Predrilled holes for permanent mounting

The key to listening centers and group sound fields is the jackbox, the distribution point to the headphones. Califone gives more attention to this mini four-position stereo unit with silver-plated contact points for a solid connection and moisture resistance, individual volume controls, 3.5mm plugs and rugged ABS plastic housing for durability.
World's smallest 4-person jackbox for classroom portability and versatility
3.5mm input with individual volume control and stereo sound

Headphone Accessories

Highsmith, a division of GHC Specialty Brands, LLC

Califone 1216USB H69697 $44.37

Introducing the first multi-modal jackbox which is capable of recording verbal responses in addition to playing audio. When connecting up to six microphones, the jackbox transfers students' answers through its USB plug to the connected computer, where their answers can be stored and replayed from. The USB jackbox doubles the effectiveness of language learning with speech utilization, making it ideal for students of all ages as well as for multiple users on a VOIP call.
6-position for group use
Anti-slip skid pads underneath jackbox
Separate 3.5mm inputs for headphones and microphones
Universal volume & mic controls
Includes necessary AC Adapter

Headphones

Tape Central, Inc.

Califone 3068AV $6.45

1. Padded headband comfortable enough for extended wear
2. Fully adjustable to fit all sizes
3. Mono/Stereo switch for language and computer applications
4. Permanently attached with reinforced “strain” connection resists accidental pull out
5. Lengthy 10 foot coiled cord with 3.5mm plug & snap-on 1/4” adapter to fit all media players
6. Dual volume controls on each earcup for comfort
7. Noise-reducing earcup lowers ambient noise so volume does not need to be as high, as recommended by audiologists for hearing safety
8. Rugged ABS plastic headstrap and earcups resist breakage in high-use situations, replaceable leatherette ear cushions

- IBM, iMac and Mac compatible
- Warranty for school use - unlike headphones purchased at consumer electronics stores whose warranties would be voided if used in schools

Specifications

Transducers	40mm Mylar dome driver unit
Impedance	36 Ohms each side
Sensitivity	98dB ± 3dB at 1kHz
Volume Control	Dual controls on ear cups
Plug	3.5mm mini plug with snap-on 1/4 inch adapter
Cord	10 foot, coiled cord
Headband	Adjustable, padded headband
Earcups	Noise-reducing, ABS plastic for durability
Ear Cushions	Foam-filled leatherette
Weight	9.6 ounces, shipping weight 1 lb.
Color	Black
Warranty	1 year for use in school, business, church and government facilities

Headphones

Tape Central, Inc.

Califone CA-2 $3.40

1. Moisture resistant storage bag kills head lice within 24-48 hours
2. Flexible, adjustable headband fits all student sizes with recessed wiring which resists prying fingers for classroom safety
3. Permanently attached straight cord with reinforced connection resists accidental pull out
4. 6 foot straight cord with right-angle 3.5mm plug (and screw-on 1/4" adapter) for space saving connection to media player
5. Labeling area to personalize with school and/or student name

- Warranty for school use - unlike headphones purchased at consumer electronics stores whose warranties would be voided if used in schools

Specifications

Speaker	
Size	30mm
Diaphragm	Mylar
Magnet	Cobalt
Impedance	32 Ohm ± 15% each side
Frequency Response	20-20,000 Hz
Sound Pressure Level	95 db ± 3 db
Power Capacity	20 milliwatts
Distortion	< 5%
Right/Left Output Difference	3 db
Rating Input	20 milliwatts
Volume Control	N/A
Cord	Straight, 6 feet
Plug	3.5mm stereo plug with 1/4" screw-on adapter
Ear Pads	Foam
Headband	Polypropylene
Headphone Cup	ABS plastic for durability
Warranty	For School, business, church and government uses for 90 days
Weight	6 oz., shipping weight 1 lb.

Headphones

Tape Central, Inc.

Califone 3060AV $7.25

1. Fully adjustable, lightweight headband fits all students
2. Recessed wiring resists prying fingers for classroom safety
3. Permanently attached cord with reinforced connection resists accidental pull out
4. Convenient in-line volume control for personalized preferences
5. 3.5mm plug connects with media players and computers
6. 8' straight cord resists tangling with other cords and is lengthy enough to reach to ports located at rear of computer*
7. Replaceable leatherette ear cushions
8. Rugged ABS plastic headband and earcups for durability

- Windows and Mac compatibility
- Warranty for school use - unlike headphones purchased at a consumer electronics store whose warranties would be voided if used in schools

Specifications

Diaphragm	27mm Mylar
Magnet	Cobalt
Impedance	25 Ohms ± 5 Ohms
Frequency Response	20-20,000 Hz
Sensitivity	100dB SPL ± 3dB at 1kHz
Max Input	100 milliwatts
Input Connection	3.5mm, black jacketed, nickel plated stereo
Cord	8 feet, 3060AVS cord is 6 feet
Volume Control	In-line control on cord (except on 3060AVS without volume control)
Weight	10 oz., shipping weight 1 lb.
Color Choices	Beige (3060AV), Blueberry (3060AVBL), Silver (3060AVS - w/o volume control)
Warranty	For use in school, business, church and government facilities for 90 days

Headphones

Troxell Communications, Inc.

Hamilton LCB/12/MS2L $47.83

Hamilton Electronics presents a **12 pack** of Hamilton MS2L Personal Headphones with leatherette ear pads. This lab pack comes in a durable **laminated cardbord carrying case**.

Lab Pack Includes:

- (12) Hamilton MS2L Personal Headsets with leatherette ear pads
- (12) 1/4" Headphone Adapters
- (1) Laminated cardboard carry case

Headphone Description:

Hamilton Electronics MS2L - Super affordable personal educational headphone featuring leatherette ear pads and Hamlton's exclusive patented ASM™ automatic stereo/mono technology. ASM™ allows these headphones can be safely used with virtually all school audio equipment. Never longer worry about mismatching headphones between different sources and damaging ears or equipment. No switches to set or special plug adapters to change - the headphone knows if it is plugged into a stereo or mono system and automatically adjusts! Operates in 1/8 inch stereo, 1/8 inch mono, 1/4 inch stereo or 1/4 inch mono modes.

Built with kid's health and safety in mind, these are the first headphones designed to combat the spread of head lice in schools. Each headphone comes in its own heavy-duty, write-on, reclosable bag. When sealed in the bag, lice is killed in 24-48 hours without the use of chemicals.

Headphone Specifications:

- Operates in 1/8 inch stereo, 1/8 inch mono, 1/4 inch stereo or 1/4 inch mono modes
- Leatherette ear pads
- Impedance: 170 Ohms
- Frequency response: 18-20k Hz
- Cord: 2 meters
- Speaker drivers: 40mm Cobalt magnet type
- Weight: 5 Ounces
- One (1) year warranty.

Headphones

Troxell Communications, Inc.

Hamilton LCB/12/MS2LV $55.00

Hamilton Electronics presents a **12 pack** of Hamilton MS2LV Personal Headphones with leatherette ear pads and in-line volume control. This lab pack comes in a durable **laminated cardbord carrying case**.

Lab Pack Includes:

- (12) Hamilton MS2LV Personal Headsets with leatherette ear pads and in-line volume control
- (12) 1/4" Headphone Adapters
- (1) Laminated cardboard carry case

Headphone Description:

Hamilton Electronics MS2LV - Super affordable personal educational headphone featuring leatherette ear pads, in-line volume control and Hamlton's exclusive patented ASM™ automatic stereo/mono technology. ASM™ allows these headphones can be safely used with virtually all school audio equipment. Never longer worry about mismatching headphones between different sources and damaging ears or equipment. No switches to set or special plug adapters to change - the headphone knows if it is plugged into a stereo or mono system and automatically adjusts! Operates in 1/8 inch
stereo, 1/8 inch mono, 1/4 inch stereo or 1/4 inch mono modes.

Built with kid's health and safety in mind, these are the first headphones designed to combat the spread of head lice in schools. Each headphone comes in its own heavy-duty, write-on, reclosable bag. When sealed in the bag, lice is killed in 24-48 hours without the use of chemicals.

Headphone Specifications:

- Operates in 1/8 inch stereo, 1/8 inch mono, 1/4 inch stereo or 1/4 inch mono modes
- In-Line Volume Control
- Leatherette ear pads
- Impedance: 170 Ohms
- Frequency response: 18-20k Hz
- Cord: 2 meters
- Speaker drivers: 40mm Cobalt magnet type
- Weight: 5 Ounces
- One (1) year warranty.

Headphones

Tape Central, Inc.

Califone CA2-30 $108.50

Specifications

Speaker	
Size	30mm
Diaphragm	Mylar
Magnet	Cobalt
Impedance	32 Ohm ± 15% each side
Frequency Response	20-20,000 Hz
Sound Pressure Level	95 db ± 3 db
Power Capacity	20 milliwatts
Distortion	< 5%
Right/Left Output Difference	3 db
Rating Input	20 milliwatts
Volume Control	N/A
Cord	Straight, 6 feet
Plug	3.5mm stereo plug with 1/4" screw-on adapter
Ear Pads	Foam
Headband	Polypropylene
Headphone Cup	ABS plastic for durability
Warranty	For School, business, church and government uses for 90 days
Total Weight	Each headphone 6 oz., Package shipping weight 13 lbs.

1. Convenient moisture resistant storage bag
2. Flexible, adjustable headband fits all student sizes with recessed wiring which resists prying fingers for classroom safety
3. Permanently attached straight cord with reinforced connection resists accidental pull out
4. Rugged carrying case stores thirty headphones and is ideal for itinerant teachers, mobile AV carts and computer labs
5. 6 foot straight cord with right-angle 3.5mm plug (and screw-on 1/4" adapter) for space saving connection to media player
6. Labeling area to personalize with school and/or student name

- Warranty for school use - unlike headphones purchased at consumer electronics stores whose warranties would be voided if used in schools

These lightweight stereo headphones can be personalized with a student or teacher name, classroom number or school to reduce spread of communicable diseases.

"Project Intercept"
Please contact us immediately if you experience any issues with your headphone. Our "Project Intercept" customer service program will quickly repair or replace items under warranty. Simply contact us via phone or email rilane@califone.com.

Visit our website at www.califone.com to learn more about the complete line of *Califone*® audio products including: Wireless public address systems, headphones & headsets, wireless microphone systems, group listening centers, multimedia players and computer peripheral products.

We are proud of helping teachers enhance student under standing and achievements since 1947, with your satisfaction as our first priority.

This CA-2 heaphone carries a 90 day warranty with service support available through authorized dealers nationwide.

Headphones

Troxell Communications, Inc.

Hamilton LCP/24/MS2LV $121.29 (with volume control)

Hamilton LCP/24/MS2 $116.18 (without volume control)

Hamilton Electronics presents a **24 pack** of Hamilton MS2LV Personal Headphones with leatherette ear pads and in-line volume control. This lab pack comes in a durable **lockable carrying case (lock not included)**

Lab Pack Includes:

- (24) Hamilton MS2LV Personal Headsets with leatherette ear pads and in-line volume control
- (24) 1/4" Headphone Adapters
- (1) Lockable carrying case (lock not included)

Headphone Description:

Hamilton Electronics MS2LV - Super affordable personal educational headphone featuring leatherette ear pads, in-line volume control and Hamlton's exclusive patented ASM™ automatic stereo/mono technology. ASM™ allows these headphones can be safely used with virtually all school audio equipment. Never longer worry about mismatching headphones between different sources and damaging ears or equipment. No switches to set or special plug adapters to change - the headphone knows if it is plugged into a stereo or mono system and automatically adjusts! Operates in 1/8 inch
stereo, 1/8 inch mono, 1/4 inch stereo or 1/4 inch mono modes.

Built with kid's health and safety in mind, these are the first headphones designed to combat the spread of head lice in schools. Each headphone comes in its own heavy-duty, write-on, reclosable bag. When sealed in the bag, lice is killed in 24-48 hours without the use of chemicals.

Headphone Specifications:

- Operates in 1/8 inch stereo, 1/8 inch mono, 1/4 inch stereo or 1/4 inch mono modes
- In-Line Volume Control
- Leatherette ear pads
- Impedance: 170 Ohms
- Frequency response: 18-20k Hz
- Cord: 2 meters
- Speaker drivers: 40mm Cobalt magnet type
- Weight: 5 Ounces
- One (1) year warranty.

Headphones

Highsmith, a division of GHC Specialty Brands, LLC

Hamilton MS2L H48254 $5.81

Get the features you need in a classroom headphone at an economical price with the Hamilton HA-1A.Operates in 1/8 inch stereo and 1/4 inch stereo modes. All of these features are included at a very affordable price. Refresh kit available includes a replacement reclosable storage bag and two new ear cushions.

Specifications:

- Impedance: 170 Ohms
- Frequency response: 18-20k Hz
- Cord: 2 meters
- Speaker drivers: 40mm cobalt magnet type
- Weight: 5 Ounces
- One (1) year warranty.

Headphones

Troxell Communications, Inc.

Hamilton SC7V $12.40

The Hamilton SC7V Headphone with individual volume control features four-in-one operation on 1/8 inch stereo, 1/8 inch mono, 1/4 in stereo and 1/4 inch mono modes. New soft leatherette style washable, replaceable ear cushions, new easier-to-wear lighter design with swivel ear-cups and soft coil, 3 meter long cord (almost 10 feet!) all contribute to longer fatigue-free use. Now in easy to mark medium gray colors. Use in groups with a listening center jackbox.

Specifications:

- Volume control
- Impedance: 170 ohms
- Speaker drivers: 57mm cobalt magnet type
- Headphone frequency response: 18-20k Hz
- 3 Meter Cord
- One (1) year warranty.

Headphones

Tape Central, Inc.

Califone 3068-12 $104.00

Specifications

Transducers	40mm Mylar dome driver unit
Impedance	36 Ohms each side
Sensitivity	98dB ± 3dB at 1kHz
Volume Control	Dual controls on ear cups
Plug	3.5mm mini plug with snap-on 1/4 inch adapter
Cord	10 foot, coiled cord
Headband	Adjustable, padded headband
Earcups	Noise-reducing, ABS plastic for durability
Ear Cushions	Foam-filled leatherette
Weight	9.6 ounces, shipping weight 1 lb.
Color	Black
Warranty	1 year for use in school, business, church and government facilities

---

Headphones

Highsmith, a division of GHC Specialty Brands, LLC

Hamilton HA2 H54369 $4.76

Hamilton Electronics HA2 - Personal educational headphone featuring Hamlton's exclusive patented ASM™ automatic stereo/mono technology. ASM™ allows these headphones to be used with virtually all school audio equipment. Never worry about mismatching headphones between different sources and damaging ears or equipment. No switches to set or special plug adapters to change - the headphone knows if it is plugged into a stereo or mono system and automatically adjusts! Operates in 1/8 inch
stereo, 1/8 inch mono, 1/4 inch stereo or 1/4 inch mono modes.

Built with kid's health and safety in mind, these headphones are designed to combat the spread of head lice in schools. Each headphone comes in its own heavy-duty, write-on, reclosable bag. When sealed in the bag, lice is killed in 24-48 hours without the use of chemicals.

Also available with built-in volume control (HA2V), uplgraded leatherette earcushions (MS2L) and leatherette earcushions with volume control (MS2LV).

Specifications:

- Operates in 1/8 inch stereo, 1/8 inch mono, 1/4 inch stereo or 1/4 inch mono modes
- Impedance: 170 Ohms
- Frequency response: 18-20k Hz
- Cord: 2 meters
- Speaker drivers: 40mm Cobalt magnet type
- Weight: 5 Ounces
- One (1) year warranty.

Headphones

Highsmith, a division of GHC Specialty Brands, LLC

Hamilton HA2V H48244 $5.80

Hamilton Electronics HA2V - Personal educational headphones with in-line volume control. These headphones feature Hamlton's exclusive patented ASM™ automatic stereo/mono technology. ASM™ allows these headphones can be safely used with virtually all school audio equipment. Never worry about mismatching headphones between different sources and damaging ears or equipment. No switches to set or special plug adapters to change - the headphone knows if it is plugged into a stereo or mono system and automatically adjusts! Operates in 1/8 inch stereo, 1/8 inch mono, 1/4 inch stereo or 1/4 inch mono modes.

Built with kid's health and safety in mind, these headphones are designed to combat the spread of head lice in schools. Each headphone comes in its own heavy-duty, write-on, reclosable bag. When sealed in the bag, lice is killed in 24-48 hours without the use of chemicals.

Also available without volume control (HA2), uplgraded leatherette earcushions (MS2L) and leatherette earcushions with volume control (MS2LV).

Specifications:

- In-line volume control
- Operates in 1/8 inch stereo, 1/8 inch mono, 1/4 inch stereo or 1/4 inch mono modes
- Impedance: 170 Ohms
- Frequency response: 18-20k Hz
- Cord: 2 meters
- Speaker drivers: 40mm Cobalt magnet type
- Weight: 5 Ounces
- One (1) year warranty.

Headphones

Highsmith, a division of GHC Specialty Brands, LLC

Hamilton MS2L H48254 $5.81

Hamilton Electronics MS2L - Super affordable personal educational headphone with leatherette ear cushions. These headphones feature Hamlton's exclusive patented ASM™ automatic stereo/mono technology. ASM™ allows these headphones can be safely used with virtually all school audio equipment. Never longer worry about mismatching headphones between different sources and damaging ears or equipment. No switches to set or special plug adapters to change - the headphone knows if it is plugged into a stereo or mono system and automatically adjusts! Operates in 1/8 inch stereo, 1/8 inch mono, 1/4 inch stereo or 1/4 inch mono modes.

Built with kid's health and safety in mind, these are the first headphones designed to combat the spread of head lice in schools. Each headphone comes in its own heavy-duty, write-on, reclosable bag. When sealed in the bag, lice is killed in 24-48 hours without the use of chemicals.

Also available with inline volume control (MS2LV).

Specifications:

- Leatherette earcushions
- Operates in 1/8 inch stereo, 1/8 inch mono, 1/4 inch stereo or 1/4 inch mono modes
- Impedance: 170 Ohms
- Frequency response: 18-20k Hz
- Cord: 2 meters
- Speaker drivers: 40mm Cobalt magnet type
- Weight: 5 Ounces
- One (1) year warranty

Headphones

Tape Central

Califone 3066USB $28.65

1. Recessed wiring resists prying fingers, with rugged ABS plastic headstrap and earcups to hold up to sustained use
2. Fully adjustable to fit all sizes
3. Permanently attached cord with reinforced connection resists accidental pull out
4. 7' cord with in-line volume and mute control, mic on/off switch
5. High speed connectivity with backwards-compatible USB 2.0 plug with Plug and Play performance Windows/Mac compatbility
6. Flexible gooseneck with electret mic and built-in wind screen to reduce recording of unintended sounds
7. Noise-reducing earcup lowers ambient noise so volume does not need to be as high, as recommended by audiologists for hearing safety
8. Replaceable leatherette ear cushions
9. Slotted baffle prevents access and avoids accidental speaker puncture

- One year warranty for school use - unlike headsets purchased at consumer electronics stores whose warranties would be voided if used in schools

Specifications

Headphone	
Speaker	40mm Mylar
Magnet	Ferrite Cobalt
Impedance	NA
Frequency Response	20-20,000 Hz
Sensitivity	110dB SPL ± 3dB at 1kHz
Input	Min. input 20 milliwatts, max. 30 milliwatts
R/L Output Diff	3 dB
Distortion	5%
Input Connection	Backwards compatible USB 2.0 plug
Earcup / Earpad	Noise reducing ABS plastic, leatherette
Cord	7' straight with inline volume control
Microphone	
Type	Electret condensor
Directivity	Omni-directional
Sensitivity	-41dB, standard -38dB, max -35dB
Frequency Response	20-16,000 Hz
Impedance	1,500 Ohms ± 15%
Operating Voltage	Nominal +3V; accepts 1.5V-10V
Output Connection	Backwards compatible USB activated host interface 1.0 / 1.1 / 2.0
Weight	12 ounces, shipping weight 2 lbs.
Warranty	1 year for use in school, business, church and government facilities
Safety Approval	CE rated safe for school use

Interactive Presenters

CIM Technology Solutions

eInstruction Mobi Teacher CB-A-84-00476 $374.00
(includes shipping)

KEY PRODUCT FEATURES

- Multiple units can work together simultaneously
- 2.4" color LCD display LCD instantly presents CPS and PRS assessment results (for teachers only)
- Integrates with CPS student response system
- Classroom tough
- Instant wireless connectivity
- Ergonomic, ultra lightweight design

KEY SOFTWARE FEATURES

- Accepts input from up to nine users simultaneously, allowing teacher and student collaboration with Mobi's and/or the Interwrite® DualBoard
- Annotate, highlight, edit and interact with digital content from virtually any program or source
- Seamlessly integrates with **Exam***View*® publishers' content, question banks and CPS software
- Instantly access to over 6,000 teaching resources
- Is compatible with eInstruction's entire product suite as well as products you already own
- Complements and works with other applications you may use

MOBI SPECIFICATIONS

Technology	Electromagnetic Pen
Hardware Interface	RF, USB
Platform Support	Windows (XP or Vista) Mac OS X Linux
Operating Temperature	40° to 115° F (5° to 46° C)
Storage Temperature	-40° to 158° F (-40 to 70° C)
Warranty	One Year Warranty EC Members: Two Year Warranty Extended warranty options are available
Battery Life (typical classroom usage)	24 hours (Mobi) 40 hours (Mobi Learner)
Range	50 ft (15.24 m)
Model	Mobi (IP 501) Mobi Learner (IP 500)
Active Area	6.3 in x 8 in (16 cm x 20.3 cm)
Width	11 in (27.9 cm)
Height	10.4 in (26.4 cm)
Weight	1.6 lb (0.73 kg)

For more information visit **www.eInstruction.com**
or call **1-800-344-4723 x6238**

Interactive Presenters

Troxell Communications, Inc.

Hitachi WT1 $229.59

Key Benefits

- Up to 16 hours of wireless operation
- Recharge battery via USB or AC adaptor
- Wireless pen, 2 customizable buttons
- Supports multiple pairing up to 7 devices
- 16 Programmable function keys
- Built-in LCD indicator panel
- Import Microsoft Office files
- Hand writing recognition
- Variety of digital inks
- Export notes to various file formats
- Educator resources and content
- Search engine integration

Tech Specs

Description: Interactive wireless tablet. Resolution: 2000 lpi. Customizable buttons: 16 (top of active area). Pairing: multiple pairing (1-7). Batery type: Li-ion rechargeable battery. Battery life: 2 years. Battery using time: 16 hours (continuous use). Power supply: computer USB / AC adaptor. 2.4 RF adaptor: slim type (stores in tablet). Operating system: Microsoft Windows 2000/XP/VISTA, Mac OS X 10.4 above. Active area size: 8" x 6". External dimensions: 10.9" x 11.1" x 0.8". Weight (w/battery): 1.3 lbs. For detailed specifications visit starboard.hitachi-soft.com.

Interactive Presenters

Industrial Video

Qomo QIT 30 $269.00 ($10 freight)

Features

- Uses a low cost non-proprietary rechargeable Nokia™ cell phone battery
- Up to 25 hours of continuous cable free operation
- Easily recharge battery through computer via USB
- 16 Programmable macro keys
- Built-in LCD status indicator panel
- Energy saving: turns pen on/off automatically for extended battery life
- Pen uses standard AAA batteries
- Large A5 high resolution working area
- Works with all document cameras and firewire applications
- Quick & easy installation
- USB dongle stores inside tablet
- Intuitive express keys control page up/down
- Pen slot for preventing loss
- Export notes & annotations into various file formats
- One year warranty

Interactive Presenters

RM Educational Software, Inc.

RM ePad $167.00 0016-EPAD-ETNGP

Grades K-12

The new RM ePad gives you the freedom to teach and engage your students from anywhere in the classroom. Create and deliver engaging lessons with all the interactivity of a whiteboard from the palm of your hand. The RM ePad includes RM Easiteach, the award-winning dynamic software tool for engaging and stimulating whole-class teaching.

The RM ePad comes with many new and convenient features that make this interactive slate the most user-friendly one you will find. The unique hand straps make it easy to carry the RM ePad, and the built-in keyboard makes it easy for you or your students to enter text. The wireless RF technology allows for 60 feet of unhindered movement. The LCD panel monitors the pad and pen battery, which provides over 40 hours of use on one charge. The RM ePad is designed specifically for classroom use with rubber corners for added ruggedness.

The RM ePad comes complete with the award-winning RM Easiteach. RM Easiteach is a family of dynamic software tools that works with the ePad to deliver engaging and stimulating whole-class teaching. Over 300,000 teachers across the United States have integrated RM Easiteach whole-class software tools into their curriculum, enabling them to easily create resources that incorporate text, clipart, animations, video, Flash files, hyperlinks, databases and spreadsheets.

Product Features

- Built-in keyboard emulator
- Hand straps make it easy to carry
- LCD panel monitors pad and pen battery
- Over 40 hours use on one charge
- Rubber corners to stand up to classroom use
- Simple "plug-and-play" installation
- Wireless RF technology
- 60-foot range for unhindered movement
- Includes RM Easiteach

Interactive Presenters

Logical Choice Technologies, Inc.

Promethean ACTIVESLATE60 17784 $281.75

Models	ActivSlate 60
Works with	All ActivBoards; also works with 3rd-party interactive whiteboards. *Note: Does not require a whiteboard to function.*
Connectivity	Wirelessly with the ActivHub 2.4 GHz inserted in computer. With ActivBoard 300 and 300 Pro ranges, hub can be inserted directly into the USB port on the board.
Operating systems	*Windows, Mac and Linux (see Spec Sheet for complete details)*
Installation	Operation and setup of the ActivSlate 60 requires ActivInspire Personal or Professional Edition software and ActivHub. Specifications and access for ActivInspire are located on Promethean Planet at www.Prometheanplanet.com/ActivInspire. User with administrator/privileged access rights required for software installation.

View larger image

ActivSlate

In the ActivClassroom, nothing is static—subjects, lessons and especially participants come alive. And while students enjoy interacting by coming to the ActivBoard, teachers also want connection and freedom of movement—teaching from student desks, debating from the four corners of the room, directing the lesson from inside group discussions.

ActivSlate makes dynamic, interactive classroom experiences everyday occurrences by giving anyone who wishes to participate control of the ActivBoard from anywhere in the ActivClassroom. A wireless, fully integrated, notebook-sized tablet, ActivSlate uses the same ActivPens as our ActivBoard, is small enough to sit on a student desk, and is light enough to be carried into any discussion.

Interactive Presenters

Schoolhouse Electronics

Smart SSID 350 $1599.00

Key features

The ID350 is perfect for situations that require versatile features in a compact package.

• Interactive screen – Control your computer with the pen tool. Write over any application. The pen tool is the point of contact on the screen, so you don't have to worry if you brush the screen with your palm or sleeve. Each screen display is designed with sharp corners, straight sides and a flat bezel so there is nothing to impede your natural writing flow.

• Save function – Capture your work in SMART Notebook software or save notes directly into several software applications, including Microsoft Windows® versions of PowerPoint®, Word and Excel®, or into AutoCAD® software.

• Battery-free tethered pen – Write smoothly and comfortably with the attached pen. Because the pen is battery free, there's no maintenance cost or downtime searching for replacement batteries.

• Pen-tool buttons – Change ink color, or use the eraser without crowding your display with toolbars.

• Function buttons – Quickly access the right mouse button, On-Screen Keyboard, Screen Capture tool, Floating Tools toolbar and SMART Notebook.

• On-screen display buttons – Fine-tune display properties to suit your preferences.

• Adjustable tilt stand – Move the console to a comfortable viewing angle.

• VESA mounting plate – Integrate the SMART Podium ID350 and ID370 interactive pen displays with any standard VESA mounting arm (75 mm for the ID350 and 100 mm for the ID370).

• USB connection – Easily connect the ID350 or ID370 to your computer.

• USB ports – Enhance your presentation by connecting a memory key, document camera or other peripherals to the two 2.0 high-speed ports.

• RGB video pass-through – Connect the ID350 or ID370 to a digital projector so both devices display the same image.

• Warranty – Two-year limited warranty.

Interactive Presenters

Troxell Communications, Inc.

Hitachi T17SXL $1250.00

Call on Hitachi Software for All Your Interactive Communication Needs

The T-17SXL is a compact, ergonomic, pen-driven, SXGA resolution 17-inch LCD display provided with the StarBoard Software suite of presentation and collaboration tools.

The T-17SXL raises the bar in tablet presentation technology with a 17-inch LCD display screen that boasts SXGA resolution, excellent color and contrast, and a thin screen that assures natural, accurate operation. Other technological innovations include built-in video pass-through permitting the connection of projectors and computers with the StarBoard system without requiring an external video splitting amplifier.

Eight hardware function buttons permit full screen operation without requiring constant use of on-screen menus. The T-17SXL is connected to a standard PC via USB link and comes with a smoothly adjustable tilt stand.

Perhaps the most powerful innovation is the inclusion of the latest in the StarBoard suite of professional presentation and collaboration software. StarBoard Software's intuitive, icon-driven interface enables presenters to easily operate in a whiteboard mode or to annotate right over Windows applications or digital video on the display. Collaboration software lets the T-17SXL easily communicate with other StarBoard systems and allows for simultaneous viewing and annotation by multiple systems connected either locally or across the Internet.

Hitachi Software offers a full range of interaction communication systems for presentations, classrooms, and video conferences. Backed by a company known for quality products worldwide, you can trust Hitachi Software to be there with solutions that meet your communication needs.

Interactive Presenters

Industrial Video

Qomo QIT 300 $1099.00 ($13 freight)

Features

- Write, draw and annotate over any running application
- Works with Doc Cam, Camcorder, and firewire equipment to annotate on live video
- Directly write into Office (Word/Excel/PowerPoint) files
- Full featured object management tool (copy/paste/rotate/zooming/color changing) available
- Thumbnail review capability enables you quickly find any marked slides
- Image library with over 5000 images available
- Directly write/type into presentation
- Handwritten object recognition and conversion
- Authentic penmanship displaying, personalized communication
- Electromagnetic grip pen can function as a mouse
- Intuitive and user-friendly graphic based interface allows quick learning allows quick learning and mastering
- 17" TFT active matrix electromagnetic LCD Panel
- Two year warranty

Interactive Presenters

Logical Choice Technologies, Inc.

Promethean ACTIVEPANEL21 17894 $1884.85

GENERAL SPECIFICATIONS

Power Supply Voltage	AC 100-240V 50Hz/60Hz
Maximum Power Consumption	37w
Overall Dimensions (Excluding Stand)	344mm x 300mm x 49mm (13.5in x 11.8in x 2in)
Weight (Including Stand)	4.6kg
Data Port	USB with integrated 2-port USB hub
Graphics Card Connector	VGA
Stand Incline	18° to 73° from horizontal
Certification	CE,FCC
Packed Contents List	ActivPanel with adjustable stand, PSU (with UK, EU & US mains/power cord), Pen, CD-ROM (includes driver and owner's manual), USB cable, VGA cable, ActivStudio (Windows and Mac), Quick Start Guide (EN, FR, DE & ES)

LCD SPECIFICATIONS

Type	TFT active matrix LCD
Screen Size	38.1cm (15in) diagonal
Display Area	304mm x 228mm (12in x 9in)
Resolution	XGA (1024 x 768 pixels)
Pixel Pitch	0.297mm x 0.297mm (.011in x .011in)
Number of Colors	16.2 million
Brightness	250 (cd/m²)
Contrast Ratio	500:1
Response Rate	16ms
Viewing Angle (L/R), (O/U)	70/70, 65/65
Backlight Life	20,000

INTERACTIVE SPECIFICATIONS

Technology	Electromagnetic resonance method
Active Area	304mm x 228mm (12in x 9in)
Resolution	.05mm per point (508 lines per inch)
Coordinate Accuracy	+/-0.5mm, +/-2mm at corners
Reading Height	5mm (.2in)
Report Rate	100 points per second (max)

PEN SPECIFICATIONS

Type	Pressure-sensitive, cordless pen, no battery
Switches	Tip switch, programmable double side-switch
Pressure to Activate Tip Switch	20g (.7oz)
Pressure Levels	512
Tip Switch Stroke	0.1mm or less
Tip Switch Lifetime	10 million cycles
Weight	12g (.42oz)

MINIMUM COMPUTER REQUIREMENTS

Operating Systems	Windows XP SP2 and above (XP/Vista/7) Mac OSX 10.4.11 – 10.6.1 (Tiger/Leopard/Snow Leopard) Linux Ubuntu 8.04, 8.10, 9.04, 9.10; Mandriva
PC	Pentium 4 – 1 GHz processor (800MHz for Vista), 512 MB of RAM, 1024x768 resolution, 1.5 GB of Free Disk space
Mac	Intel Processors (Universal Binary), 512 MB of RAM, 1024x768 resolution, 3.0 GB of Free Disk Space

WARRANTY AND SUPPORT

ActivPanel	Two-Year Warranty (Return-To-Base) 90-Day Telephone Support KnowledgeBase: www.prometheankb.com

Laminating Film

Scott Electric

Bryce 011251X $20.38/box
2 rolls/box
12” x 500’, 1.5 mils

HOP 18x500 $27.86/box
2 rolls/box
18” x 500’, 1.5 mils

HOP 25x 500 $32.00/box
2 rolls/box
25” x 500’, 1.5 mils

HOP 27x500 $38.00/box
2 rolls/box
27” x 500’, 1.5 mils

Laminating Film

Scott Electric

Bryce 031231C $21.24/box
2 rolls/box
12” x 500’, 3 mils

Bryce 031831C $27.68/box
2 rolls/box
18” x 500’, 3 mils

Bryce 032531C $36.28/box
2 rolls/box
25” x 500’, 3 mils

Bryce 032731C $39.18/box
2 rolls/box
27” x 500’, 3 mils

Laminator

Acco/GBC

GBC Pinnacle 27 1701700 $1559.00


Pinnacle 27
27" Roll Laminator
WHY LAMINATE?
• Preserve special projects
• Reuse teaching aides
• Enhance the learning experience
• Create an inviting classroom
• Save budget dollars
• Reduce teacher prep time
Lamination Accessories
Deluxe Laminator Cabinet
PRODUCT NUMBER: 1154314
DIMENSIONS: 36"W x 18"L x 30"H
SmartCut™ Rotary Trimmer
(Not shown)
PRODUCT NUMBER: 1690050
CUTTING LENGTH: 38"
Pinnacle 27
• ACCUTHERM™ HEATING TECHNOLOGY
Expands applications running both Nap-Lam® I and Nap-Lam® II film and delivers consistent high-quality output.
• VERSATILE
Runs 1.2 mil to 3 mil film.
• FAST WARM-UP TIME
Ready to laminate in under 10 minutes.
• DIGITAL FOOTAGE COUNTER
Track and account for all film usage.
• AUTO SHUT-OFF
Shuts off automatically after 1 hour of non-use (can be overridden).
• INTEGRATED TRIMMER
Cuts film cleanly and safely.
• GBC QUALITY AND SERVICE
Limited one-year warranty and available Equipment Maintenance Agreement (EMA).

Letter Machine

Accucut

Accucut SS4450 $1399.30

MARK IV
Super Starter Set

Purchasing the MARK IV Super Starter Set is the easiest and most cost-effective way to get started. You get an AccuCut MARK IV Roller Die Cutting Machine, a complete Block alphabet set, three of our most popular shape die sets and four 30-slot die storage racks. It?s easy to add more dies and sets as your curriculum and/or grade levels change.

You save $550 when you purchase the complete MARK IV Super Starter Set (compared to the total of the individual items). Due to the incredible savings, additional promotions are not valid with the MARK IV Super Starter Set.

Included in starter set:
MARK IV Roller Die Cutting Machine
4" Block Uppercase Set
4" Block Lowercase Set
4" Block Numbers Set
Calendar Set #3 (Large)
Geometric Set #3 (2-D) (Large)
School Set #2 (Large)
30-Slot Die Storage Rack

Listening Centers

Troxell Communications, Inc.

Hamilton LCP/JBP-8SV/HA5 $73.99

Hamilton LCP/JBP8SV/SC7V $88.67 (with volume control on headset & jackbox)

Get Hamilton Listening Centers in our new laminated Carrying Box. This light-weight, laminated carrying case is ideal for any classroom setting.

This listening center includes:

(8) Hamilton HA5 Headphones:

The Hamilton HA5 Headphone features two-in-one operation in 1/4 in stereo and 1/4 inch mono modes. New soft leatherette style washable, replaceable ear cushions, new easier-to-wear lighter design with swivel ear-cups and soft coil, 3 meter long cord (almost 10 feet!) all contribute to longer fatigue-free use. Now in easy to mark medium gray colors. Use in groups with a listening center jackbox.

Headphone Specifications:

- Impedance: 170 ohms
- Speaker drivers: 57mm cobalt magnet type
- Headphone frequency response: 18-20k Hz
- 3 Meter Cord
- One (1) year warranty.

(1) 8 Position Jackbox with Volume Controls

(1) Laminated cardboard carrying box

Loudspeakers

Troxell Communications, Inc.

Hamilton MM3 $34.55

The Hamilton MM3 Megaphone projects your voice with exceptional clarity. Lightweight, compact and ruggedly constructed, it resists impact and outdoor climactic conditions. The MM3 Megaphone (Bullhorn) offers a compelling combination power and exceptional value. One (1) year warranty.

Product Specifications:

- Range - Up to 1/4 Mile (Depending on terrain)
- Power Source - 6x AA Batteries (Not Included)
- Weight - 1.2 lbs (Without Batteries)
- Product Dimensions 6.1" Max Diameter x 11" Long

Microphones

Tape Central

Califone PADM510 $21.00

- 600 ohm dynamic microphone
- 15' cable and mic clip included (not shown)
- 1/4" phone plug
- One year warranty for school use - unlike microphones purchased from consumer electronics stores whose warranties would be voided if used in schools

Frequency Response
PADM-510



With high sensitivity response and a rugged brushed finish, the PADM-510 is perfect for vocal presentations. Its universally formatted 1/4" connection plugs into great *Califone*® quality sound.

"Project Intercept"
Please contact us immediately if you experience any issues with your PADM-510 microphone. Our "Project Intercept" customer service program will quickly repair or replace items under warranty. Simply contact us via phone or email rilane@califone.com.

Visit our website at www.califone.com to learn more about the complete line of *Califone*® audio products including: Wireless public address systems,wired and wireless headphones & headsets, wired and wireless microphone systems, group listening centers, multimedia players and computer peripheral products.

We are proud of helping teachers enhance student understanding and achievements since 1947, with your satisfaction as our first priority.

The PADM510 microphone carries a one year warranty with service support available through authorized dealers nationwide.

Specifications

Directional characteristic	Unidirectional
Frequency response	80-10,000 Hz
Impedance	600 Ohms ± 30%
Sensitivity	-72dB ± 3dB
Dimensions	1.8" diameter x 7.6" length
Weight	7.4 oz., shipping weight 1 lb.
Cable	15 ft.
Housing	Zinc alloy
Finish	Black
Accessories	Mic clip
Plug	1/4" phone
Safety	Approved safe for use in school, business, government and church facilities
Warranty	1 year from purchase date

Microphones

Tape Central

Califone PA282 $55.00

Specifications

Power Output	2 Watts RMS is powerful enough for presentations of up to 25 people
Distortion	Less than 5%
Frequency Response	350-8,000 Hz
Speaker	2.5" Diameter, 4 Ohms
Aux In Sensitivity	120 mV
Mic Sensitivity	4.2 mV
Mic Type	Unidirectional electret mic
Signal to Noise Ratio	60dB
Operating Voltage Range	4.8-5 VDC
Battery	1.2v Nickel-Metal Hydride x 4 included
Operating Time	6 - 8 Hours @ 70 - 50% Duty Cycle
Adapter	9 Volt DC, 300mA, UL-CE approved
Dimensions	4.5"W x 1.5"D x 3.5"H
Weight	10 oz., with batteries, 2 lbs. ship weight
LED Indicator	Power On - Green Charging - Red
Belt Clip	1.5" Wide
Safety Approvals:	C-UL/CE approved safe for use in school, business, government and church facilities
Warranty	1 year from purchase date

Perfect for groups of up to 25 people, the lightweight VoiceSaver is equally effective for leading tour groups, dance and athletic classes, presentations, or lending support for those needing increased voice projection and amplification. It's light enough to be worn on a belt all day and will operate up to 8 hours on a single charge.

1. Tone control
2. Battery light
3. 3.5mm mic-in
4. Volume & on/off switch
5. Plug for rechargeable batteries
6. Includes HBM319 headset for complete hands-free flexibility and movement

- Full day's use on fully charged batteries and can still be used while recharging
- Vocal assist for fatigued throats
- One year warranty for school use - unlike items purchased from consumer electronics stores whose warranties would be voided if used in schools

"Project Intercept"
Please contact us immediately if you experience any difficulties with your VoiceSaver PA. Our "Project Intercept" customer service program will quickly repair or replace items under warranty. Simply contact us via phone or email warranty@califone.com.

Visit our website at www.califone.com to learn more about the complete line of wired and wireless *Califone*® headphones and other audio products including: Public address systems, wireless microphone systems, group listening centers,multimedia players and computer peripheral products.

We are proud of helping teachers enhance student understanding and achievements since 1947, with your satisfaction as our first priority.

This Personal PA carries a one year warranty and service support available through authorized dealers nationwide.

Microphones

Troxell Communications, Inc.

Shure 588SDX $49.35 (Please specify frequency when ordering)

- Controlled low-frequency response combined with a smooth high-frequency rise for clear and intelligible voice pickup
- Symmetrical cardioid pickup pattern minimizes feedback
- Spherical grille provides effective filtering out of breath noise and popping when used for closeup vocals, and of wind noise when used outdoors
- Neodymium magnet for high signal-to-noise ratio
- Shock-mounted cartridge for quiet operation and low stand/ handling noise
- Lockable ON/OFF switch
- Dual impedance selectable by internal socket
- Break-resistant, slip-in swivel adapter for stand-mounted use
- Three-pin professional audio (XLR) connector
- Tough, steel-mesh grille resists wear from constant use and handling; die-cast handle
- Field serviceable and backed by the Shure 2-year warranty

Dynamic

The Model 588SDX is a ball-type, dual-impedance, cardioid (unidirectional) dynamic microphone that provides excellent voice reproduction. Its spherical grille is a very effective wind and pop filter which is especially good when used for closeup vocal miking. This microphone is highly suited for speech or music pickup in schools, churches, and meeting rooms. Its unidirectional polar pattern greatly reduces feedback problems, permitting operation closer than usual to loudspeakers without the annoying squeal or howl caused by feedback. The microphone is equipped with a lockable ON/OFF switch and an internal impedance selection socket located on the XLR connector for switching between high and low impedance. A slip-in swivel adapter is supplied for the convenience of stand-mounted use.

Microphones

Troxell Communications, Inc.

Shure 56SDLC $84.04

Shure 565SD

Product Description

The UNISPHERE ® I 565SD microphone is a dual-impedance, unidirectional dynamic microphone with a strong, wire-mesh, spherical front grille that contains a highly effective wind and "pop" filter.

Shipped connected for low-impedance operation, 565SD provides excellent vocal or speech reproduction on lecterns and stages, and is a popular choice for use in public auditoriums, churches, convention halls, and schools.

- Versatile, high-quality microphone with sound characteristics similar to the SM58®
- Selectable dual-impedance operation
- Silent magnetic reed on/off switch with lock-on option
- Cardioid dynamic
- Frequency response: 50 to 15,000 Hz

Microphone Cables

Tape Central

6’ long, XLR to 1 / 4 male 4761 $8.25

6’ long, XLR to XLR 4751 $10.50

Multimedia Projectors

Troxell Communications

Hitachi CPX2511 $535.00

Portable / Installation LCD Data Projector

With a brightness of 2,700 ANSI lumens in a 3.6kg, sleekly designed chassis, the CPX2511 brings a new level of versatility to the market, offering high picture quality with a high contrast ratio of 2,000:1 and an active iris that is automatically controlled to ensure best image contrast and depth perspective during both bright and dark scenes. The CPX2511 offers superior maintenance functions. Thanks to the hybrid filter, maintenance and cleaning are much less frequent, making longer operation possible. For education or business, this projector offers the features to meet all your need in the classroom or meeting room.

Key Features

- Brightness: 2,700 lumens
- XGA Resolution: 1,064 x 768
- Contrast ratio: 2,000:1
- Manual zoom
- Auto vertical keystone
- Hybrid filter
- Security functions
- Dimensions: 317 x 98 x 288mm (WxHxD)
- Weight: 3.8kg

Multimedia Projectors

Tape Central

Infocus IN104 $487.25

All the essentials

The InFocus IN100 series offers all of the essential functions and features presenters need in an affordable, reliable projector. It's easy to use and projects high-quality images every time thanks to the true-to-life colors of Texas Instruments DLP® technology with InFocus BrilliantColor™ implementation.

- **2500 lumens** and up to **UXGA resolution** for stunning presentations
- **Multiple computer inputs** provide easy ways to connect
- **Filter-free design** for less maintenance and 24/7 operation
- **Compact size** and light weight for easy mobility
- **High quality design** is backed by a 5-year limited warranty

MODELS

IN102
SVGA
(800 × 600) NATIVE RESOLUTION
2500 LUMENS

IN104
XGA
(1024 × 768) NATIVE RESOLUTION
2500 LUMENS

Bright and Brilliant

A high brightness of 2500 lumens means the IN100 series is bright enough in environments with high ambient light. The award-winning InFocus BrilliantColor implementation brings rich, realistic color to any presentation.

Compact

The IN100 series is small and lightweight for easy portability from one room or building to the next. It is compact, weighs about 5 pounds (2.3 kg), and comes with a convenient carrying case.

Flexible

The IN100 series offers multiple computer inputs for flexibility in any environment. Both models are compatible with LiteShow II™ wireless adapter, allowing cable-free presentations. The LiteShow II lets users switch presenters in seconds and transmit data, audio, and video over a 300'

Resolution Options

Choose from native resolution of SVGA for the best price or XGA for better image detail and clarity. Both models offer high resolution of UXGA (1600 × 1200).

Overhead Projectors

Troxell Communications

Buhl 9013EDC $139.26

The Buhl 9013EDC is the educators' choice for general classroom use. This overhead projector is constructed of high-impact molded plastic and uses a split-case design for easy maintenance access and durability.

Projector Features:

- E-Z clean 360 degree ergonomic open head design, with single lens
- Balanced optical system (14" focal length) provides superior edge to edge resolution
- Rack and Pinion focusing
- 10" x 10" stage provision for optional roll attachment, side to side or front to back
- 3 wire AC cord safety interlock switch- UL/CSA approved
- Uses 360 watt EYB which provides 2200 Ansi Lumens and 75 hours of lamp life
- Lamp changer to allow lamp changes from burnt to fresh without presentation interruption. (One lamp provided)

The Buhl 9013EDC is the educators' choice for general classroom use. This overhead projector is constructed of high-impact molded plastic and uses a split-case design for easy maintenance access and durability. Projector Features: • E-Z clean 360 degree ergonomic open head design, with single lens • Balanced optical system (14" focal length) provides superior edge to edge resolution • Rack and Pinion focusing • 10" x 10" stage provision for optional roll attachment, side to side or front to back • 3 wire AC cord safety interlock switch- UL/CSA approved • Uses 360 watt EYB which provides 2200 Ansi Lumens and 75 hours of lamp life • Lamp changer to allow lamp changes from burnt to fresh without presentation interruption. (One lamp provided)

Overhead Projectors

Tape Central

3M 1720 $105.50

3M™ Overhead Projector

Model 1720 Plus

Added Performance, Affordable Price

The 3M™ Overhead Projector 1720 Plus is engineered for durability with hardened, break-resistant stage glass. The durable stage glass can result in less maintenance, interruptions and repair expenses. A closed singlet projection head makes the 3M 1720 Plus easy to focus and clean, while 2,500 lumens of light is designed to make your images clear. As functional as it is affordable, the 3M 1720 Plus features an articulating closed singlet projection head for screen location flexibility and extra lens and mirror protection.

3M Visual Systems > 3M Overhead Projector Model 1700 Plus Series

KEY FEATURES

- Articulating closed singlet projection head for clear images throughout the tilt range.
- Closed projection head to protect the mirror to keep dust away from the optical surfaces
- 2,500 lumens of light can enhance your visuals even with the room lights on for note-taking.
- In-circuit resistor to extend lamp life.
- 10" x 10" staging area gives you room to maximize your message.
- Ten-foot power cord and tangle-free cord storage.
- Three-year parts and labor warranty for peace of mind. Please see product packaging for details of warranty terms.

ORDER NUMBER: XO-0038-0800-1

OPTIONAL ACCESSORIES: Replacement lamp, roller-attachment, roller-attachment film, dust cover, and projection screens.

TECHNICAL SPECIFICATIONS

Specifications subject to change.

OPTICAL PERFORMANCE
- Head: **Closed singlet** *(one element)*, **wide angle**
- Illumination: **2,500 lumens average**
- Stage aperture: **254 mm x 254 mm** *(10" x 10")*
- Stage temperature: **46°C** *(115°F)*
- Focal Length: **293 mm** *(11.5")*

LAMP DESCRIPTION
- **Lamp ejector**
- **1 lamp included**
- Lamp Type: **ENX** *(82 volts, 360 watts)*
- Lamp Life: **75** hours ANSI rating

PHYSICAL CHARACTERISTICS
- Width: **361 mm** *(14.2")*
- Depth: **425 mm** *(16.75")*
- Height (top of head): **711 mm** *(28")*
- Weight: **17.8 lbs.** *(8.1 kg)*

ELECTRICAL FEATURES
- Power-cord length: **3 m** *(10')*
- Voltage rating: **120VAC, 60Hz**

Ask about 3M LAMPS!

MECHANICAL
- **Thermal protection circuit**: cuts power to the lamp if the projector exceeds safe operating temperature.

*using 3M ENX Lamps

Overhead Projectors

Troxell Communications

Eiki 3850A $129.96

Standard Overhead Projector - Direct Transmissive (EYB) - Overview

)VERHEAD PROJECTOR FEATURES

- All Metal Body and Frame design requires virtually no maintenance
- Tamper Proof sealed head protects optics from dust, dirt and fingerprints
- Positive Alignment Fresnel and polished aluminum reflector ensures uniform reflection and even screen brightness
- Precision-coated lens with front surface mirror
- Long Life EYB 86 volt Quartz-Halogen lamp
- Heavy duty piano hinged platen
- Pre-drilled platen for roll feed, carry handle and accessory shelve attachment
- Adjustable projection head tilts up 25 degrees or down 5 degrees
- Durable Snap-Action on-off switch
- Sheet Metal

)ptional Accessories

- EYB replacement Lamp.
- Transparency Roll Feed Attachment.

Overhead Projectors

Tape Central

3M 1830 $153.50

3M™ Overhead Projector

Model 1830 *Plus*

Easy to Use

The 3M™ Overhead Projector 1830 *Plus* is engineered for durability with a chemically-hardened, break-resistant stage glass. The durable stage glass can result in less maintenance, interruptions and repair expenses. Features include a lamp ejector that makes replacing lamps simple, fold-down post that makes storing and moving simple, thermostat that prevents overheating, and a power-cord wrap. The 3M Overhead Projector 1830 *Plus* is backed by a five-year limited warranty on parts and labor.

KEY FEATURES

- Chemically-hardened stage glass is retained by clips for easy replacement.
- Articulating closed-doublet lens creates uniform focus and sharpness.
- Closed-head design protects lens from dust and dirt.
- 2,700 lumens for vivid, high-resolution images in the brightest room.
- Dual element fresnel lens for a sharper screen image.
- Built-in resistor to extend lamp life.
- 10.5" x 10.5" staging area gives you room to maximize your message.
- Built-in pen tray for convenient storage.
- Fifteen-foot power cord and tangle-free cord storage.
- Fold-down post makes storing and moving simple.
- Five year limited warranty covers parts and labor. Please see product packaging for details of warranty terms.
- One lamp included.

ORDER NUMBER: 78-9236-6863-2

OPTIONAL ACCESSORIES: Replacement lamp, roller attachment,

TECHNICAL SPECIFICATIONS

OPTICAL PERFORMANCE

- Head: **Articulating, closed-doublet** *(dual element lens)*
- Illumination: **2,700 ANSI lumens** typical*
- Design: **Transmissive** with folded optical system
- Stage aperture: **10.5" x 10.5"** *(267 mm x 267 mm)*
- Focal length: **14 "** *(355 mm)*

LAMP DESCRIPTION

- **Lamp ejector**
- **1 Lamp included**
- Lamp Type: **ENX** *(82 volts, 360 watts)*
- Lamp Life: **75** hours ANSI rating
- Built-in Resistor to **extend lamp life** well beyond the 75 hour ANSI rating*

ELECTRICAL REQUIREMENTS

- Power-cord length: **15'** *(4.6 m)*
- **Power-cord wrap**

MECHANICAL

- **Fold-down post**

PHYSICAL CHARACTERISTICS

- Weight: **19.0 lbs.** *(8.6 kg)*

Ask about 3M Lamps & Projection Screens!

Overhead Projectors

Tape Central

3M 1825 $158.00

3M Visual Systems > 3M Overhead Projector Model 1800 *Plus* Series

3M™ Overhead Projector

Model 1825 *Plus*

Utmost Brightness

The 3M™ Overhead Projector 1825 *Plus* is engineered for durability with a chemically-hardened, break-resistant stage glass. The durable stage glass can result in less maintenance, interruptions and repair expenses. The 1825 *Plus* offers the utmost in brightness—from a typical minimum output of 3,600 lumens to a maximum of 4,000 lumens. Features include a thermostat that helps to prevent overheating, a lamp ejector that makes the task of changing lamps easy, and a high-to-low dimmer switch that conserves lamp life. The 3M Overhead Projector 1825 *Plus* also comes with a five-year limited warranty on parts and labor.

KEY FEATURES

- Chemically-hardened stage glass is retained by clips for easy replacement.
- Utmost in brightness–typical minimum output of 3,600 lumens to a maximum of 4,000 lumens.
- Wide-angle, closed articulating singlet projection head for clear images throughout the tilt range.
- Closed projection head to protect the mirror and to keep dust away from the optical surfaces.
- Dual element fresnel lens for a sharper screen image.
- Built-in resistor to extend lamp life.
- High/low lamp switch for high brightness or extended lamp life.
- Convenient fold-down post for easy storage.
- 10.5" x 10.5" staging area gives you room to maximize your message.
- Built-in pen tray for convenient storage.
- Fifteen-foot power cord and tangle-free cord storage.
- Five-year limited warranty covers parts and labor. Please see product packaging for details of warranty terms.
- One lamp included.

ORDER NUMBER: 78-9236-6861-6

OPTIONAL ACCESSORIES: Replacement lamp, roller attachment, roller-attachment film, dust cover, and projection screens.

TECHNICAL SPECIFICATIONS

OPTICAL PERFORMANCE

- Head: **Articulating, closed-singlet** *(one element lens)* **wide-angle**
- Illumination: **4,000 ANSI lumens typical** *(3,600 lumens— typical for low setting)**
- Design: **Transmissive** with folded optical system
- Focal length: **11.5"** *(293 mm)*
- Stage aperture: **10.5 " x 10.5"** *(267 mm x 267 mm)*
- Fresnel Lens: **Dual Element Lens**

LAMP DESCRIPTION

- **Lamp ejector**
- **1 Lamp included**
- Lamp type: **FXL** *(82 volts, 410 watts)*
- Lamp life: **38** hours ANSI rating
- Built-In Resistor to **extend lamp life** well beyond the 38 hour ANSI rating*
- High/low switch: **to enhance brightness** or **extend lamp life**

ELECTRICAL FEATURES

- Power-cord length: **15'** *(4.6 m)*
- **Power-cord wrap**

PHYSICAL CHARACTERISTICS

- Weight: **19.2 lbs.** *(8.7 kg)*

Ask about 3M Lamps & Projection Screens!

*Using 3M FXL Lamps

Overhead Projectors

Tape Central

3M 1885 $277.00

3M Visual Systems > 3M Overhead Projector Model 1800 *Plus* Series

3M™ Overhead Projector

Model 1885 *Plus*

Turn on the Light

The 3M™ Overhead Projector 1885 *Plus* is engineered for durability with a chemically-hardened, break-resistant stage glass. The durable stage glass can result in less maintenance, interruptions and repair expenses. Turn on the light with the stylish 1885 *Plus*. This deluxe overhead projector packs an articulating closed-doublet lens and a typical maximum output of 4,000 lumens and a low of 3,600 lumens. A low-to-high dimmer switch enables the right light output for vibrant images and sharper text. The 3M Overhead Projector 1885 *Plus* has a five-year limited warranty on parts and labor.

KEY FEATURES

- Chemically-hardened stage glass is retained by clips for easy replacement.
- Utmost in brightness- typical minimum output of 3,600 lumens to a maximum of 4,000 lumens.
- Articulating closed-doublet lens for especially crisp screen images.
- Closed head prevents tampering with precision two element lens, and it keeps out dust and dirt.
- Dual element fresnel lens for a sharper screen image.
- Built-in resistor to extend lamp life.
- Hush-quiet fan reduces unwanted noise.
- High/low lamp switch for high brightness or extended lamp life.
- Convenient carrying handle and fold-down post provide optimal portability and storability.
- 10.5" x 10.5" staging area gives you room to maximize your message.
- Built-in pen tray for convenient storage.
- Fifteen-foot power cord and tangle-free cord storage.
- Five-year limited warranty on parts and labor. Please see product packaging for details of warranty terms.
- One lamp included.

ORDER NUMBER: 78-9236-6877-2

OPTIONAL ACCESSORIES: Replacement lamp, roller attachment, roller-attachment film, dust cover, and projection screens.

TECHNICAL SPECIFICATIONS

OPTICAL PERFORMANCE

- Head: **Articulating, closed-doublet** *(dual element)* **lens**
- Illumination: **4,000 ANSI lumens typical** *(3,600 lumens – typical for low setting)**
- Design: **Transmissive** with folded optical system
- Focal length: **14"** *(355 mm)*
- Stage aperture: **10.5" x 10.5"** *(267 mm x 267 mm)*
- Fresnel Lens: **Dual element lens**
- **Color-tuning dial**

LAMP DESCRIPTION

- **Lamp ejector**
- **1 Lamp included**
- **Lamp changer**
- Lamp Type: **FXL** *(82 volts, 410 watts)*
- Lamp Life: **38** hours ANSI rating
- Built-in resistor **to extend lamp life** well beyond the 38 hour ANSI rating.*
- High/low switch **to enhance brightness** or **extend lamp life.**

PHYSICAL CHARACTERISTICS

- Weight: **19.0 lbs.** *(8.6 kg)*

ELECTRICAL FEATURES

- **Internal high/low switch**
- **Hush-quiet fan**
- Power-cord length: **15 feet** *(4.6 m)*
- **Power-cord wrap**

MECHANICAL

- **Lamp-interrupt switch** shuts off power to lamp when changing to prevent premature failure.
- **Carrying handle**
- **Fold-down post**

Ask about 3M Lamps & Projection Screens!

*Using 3M FXL Lamps

Overhead Projectors

Tape Central

3M 1720 $108.90



3M™ Overhead Projector

Model 1720 Plus

Added Performance, Affordable Price

The 3M™ Overhead Projector 1720 Plus is engineered for durability with hardened, break-resistant stage glass. The durable stage glass can result in less maintenance, interruptions and repair expenses. A closed singlet projection head makes the 3M 1720 Plus easy to focus and clean, while 2,500 lumens of light is designed to make your images clear. As functional as it is affordable, the 3M 1720 Plus features an articulating closed singlet projection head for screen location flexibility and extra lens and mirror protection.

KEY FEATURES

- Articulating closed singlet projection head for clear images throughout the tilt range.
- Closed projection head to protect the mirror to keep dust away from the optical surfaces
- 2,500 lumens of light can enhance your visuals even with the room lights on for note-taking.
- In-circuit resistor to extend lamp life.
- 10" x 10" staging area gives you room to maximize your message.
- Ten-foot power cord and tangle-free cord storage.
- Three-year parts and labor warranty for peace of mind. Please see product packaging for details of warranty terms.

TECHNICAL SPECIFICATIONS

Specifications subject to change.

OPTICAL PERFORMANCE
- Head: **Closed singlet** *(one element)*, **wide angle**
- Illumination: **2,500 lumens average**
- Stage aperture: **254 mm x 254 mm** *(10" x 10")*
- Stage temperature: **46°C** *(115°F)*
- Focal Length: **293 mm** *(11.5")*

LAMP DESCRIPTION
- **Lamp ejector**
- **1 lamp included**
- Lamp Type: **ENX** *(82 volts, 360 watts)*
- Lamp Life: **75** hours ANSI rating

PHYSICAL CHARACTERISTICS
- Width: **361 mm** *(14.2")*
- Depth: **425 mm** *(16.75")*
- Height (top of head): **711 mm** *(28")*
- Weight: **17.8 lbs.** *(8.1 kg)*

ELECTRICAL FEATURES
- Power-cord length: **3 m** *(10')*
- Voltage rating: **120VAC, 60Hz**

Ask about 3M LAMPS!

MECHANICAL
- **Thermal protection circuit**: cuts power to the lamp if the projector exceeds safe operating temperature.

ORDER NUMBER: XO-ØØ38-Ø8ØØ-1

OPTIONAL ACCESSORIES: Replacement lamp, roller-attachment, roller-attachment film, dust cover, and projection screens.

Overhead Projector Rolls & Film

Scott Electric

Scott Electric Roll 3, 10 1/4" x 50' $6.00

HOP PPC Removstripe 100 sheets/pkg. $7.50

HOP PPC Nostripe 100 sheets/pkg, $6.50

Scott Electric Roll 3



HOP PPC No Stripe



HOP PPC Removable Stripe

PA Systems

Technology Purchasing Partners, LLC

Anchor EBP-7500 $1199.00

Product Features

- Two built-in wireless receivers
- Receivers have 16 user-selectable channels
- Choice of 2 wireless microphone transmitters
- SS-550 Speaker Stand
- True AC/DC, 110/220V Power Supply
- LED displays for Battery Level and Charge Condition
- High-Efficiency Amplifier and Full-Range Speaker System Deliver High Fidelity Sound
- "Voice Over" Music Feature
- Two Universal Input Jacks
- 110 dB @ 1 meter

PA Systems

Technology Purchasing Partners, LLC

Anchor EDP-7500 $1569.00

Product Features

- One built-in wireless receiver
- Receiver has 16 user-selectable channels
- Choice of 1 wireless microphone transmitter
- EXP-7501 Companion Speaker with 50 ft Cable
- Two SS-550 Speaker Stands
- True AC/DC, 110/220V Power Supply
- LED displays for Battery Level and Charge Condition
- High-Efficiency Amplifier and Full-Range Speaker System Deliver High Fidelity Sound
- "Voice Over" Music Feature
- Two Universal Input Jacks
- 110 dB @ 1 meter

PA Systems

Technology Purchasing Partners, LLC

Anchor AN-130BP $514.00

Product Features

- Reach Crowds of 100+
- 101 DB of Clear Sound
- 16 Channel UHF Diversity Wireless by Anchor Audio (microphone sold separately)
- Choice of 1 wireless microphone transmitter
- 30 Watt Amplifier Equals Lots of Sound
- RCA Line-In, 1/4" Line-In & 1/4" Min-In
- 1/4" Line-Out Jack – Daisy Chain Multiple Systems or Record Output
- Magnetically Shielded Speaker for AV Use
- Optional Remote Control for Volume & Mute
- Bass & Treble Controls

PA Systems

Troxell Communications

Yamaha STAGEPAS 300 $463.96

One person can easily handle the Yamaha STAGEPAS 300 Portable PA System. The easy-to-use, ultracompact design incorporates 2 - 2-way loudspeakers, a 6/8-channel (4 mono, 2 stereo) mixer, and dual 150W amplifiers to provide a reliable sound system.

Each speaker contains an 8" woofer and 1" compression driver, driven by an efficient 150W (x2) Class D amplifier. The mixer features balanced XLR connectors, mic/line switches and balanced 1/4" jacks, 2-band channel EQ, and switchable 24-bit digital reverb. RCA connectors with separate level control for a tape recorder or a CD player are conveniently located on the front panel, plus stereo-out and monitor connections.

For added convenience, both high-impact molded speaker enclosures are polemountable with optional ADP138 adapters from Yamaha, and rear compartments house the mixer, cables, mics, and accessories.

Yamaha STAGEPAS 300 Portable PA System Features:

- Portable PA system
- 2 speakers with powered mixer
- Speaker cables (16' x 2)
- 2-way bass reflex speakers
- 6/8-channel powered mixer
- 4 mono channels
- 2 stereo channels
- 4 XLR inputs (ch 1-4)
- 6 1/4" line inputs
- Stereo RCA inputs
- Stereo line inputs
- Class D power amp (150W + 150W)
- 24-bit digital reverb
- Mic stand mountable with BMS10A adapter
- Speaker enclosure accessory compartment
- Includes power cable and speaker cable

Projector Screen

Technology Purchasing Partners, LLC

Dalite 72261 50” x 50” $56.50

Dalite 72262 60” x 60” $63.50

Dalite 72263 70” x 70” $66.70

Durable Tripod Screen

- The Versatol® is ideal for classrooms and training rooms.
- Keystone eliminator tilts the screen forward to compensate for distorted images.
- High-low case adjustment allows a 70" x 70" screen to be fully opened in a room with an 8' ceiling.

Projector Screen

Logical Choice Technologies, Inc.

Recordex 1010120 80” x 80” $83.70

TriMaxx Advanced Tripod screens is constructed using tubular, scratch resistant tripod frames to combine light weight with added stability and durability. It has a standard keystone eliminator to provide optimal display, and the screen uses the Ultra3 Matte White surface finish surrounded by a light-absorbing matte black border. Available in the 1:1 aspect ratio, four sizes are available (60”x60”, 70”x70”, 80”x80” and 96”x96”).

Projector Screen

Troxell Communications

Vutec EVMW9696/EVWB6 96” x 96” $83.67 (includes mounting hardware)

EconoPro Manual Wall Screen

- Superior reflectivity, flat surface, wind-up mechanism, quality hardened steel
- 6mm black vinyl, 3mm nylon mesh, 6mm white calendered vinyl, laminated
- Unique pull stop-start feature
- Wall mount brackets also available

Projector Screen

Technology Purchasing Partners, LLC

Dalite 40180 50” x 50” $34.90 (bracket not included)

Dalite 40184 60” x 60” $38.00 (bracket not included)

Dalite 40194 60” x 80” $76.00 (bracket not included)

Dalite 40188 70” x 70” $42.00 (bracket not included)

Dalite 74653 69” x 92” $88.00 (bracket not included)

Model B®

Perfect for classroom and meeting room facilities.

Easy pull-down system locks at intervals to fit a variety of projection formats.

Nylon bearings provide smooth quiet operation for the life of the screen.

Case design allows for hanging from a ceiling or flush mounting to a wall.

Matte White, High Contrast Matte White and Video Spectra 1.5 fabrics will be seamless in all sizes. High Power fabric up to and including 6' high will be seamless.

Pull cord included.

Projector Screen Brackets

Technology Purchasing Partners, LLC

Dalite 40932 model #6 $7.90

Dalite 40957 model #11 $12.00



Mounting and Extension Brackets

Use for convenient mounting to extend screen from wall to avoid obstacles such as chalkboards.

Model No. 23 Adjusts from 10" - 24".

Model No. 11 Extends screen from wall 10" or 14". Non-adjustable.

Model No. 6 Extends screen from wall 6". Non-adjustable.

Extension wall brackets are only to be used with screens weighing 75 pounds or less.

Projector Screen

Troxell Communications

Vutec EVMW8484 84” x 84” $62.24 (does not include bracket)

Vutec EVWB6 $12.24 bracket

Features

- White octagonal steel housing
- Roll up/down screen
- Wall or ceiling mounting
- Stops every 5" (13cm)
- 1" black border
- Matte White fabric

Options

- Wall Bracket **#01-EVWB6**

Scan Converter

Troxell Communications

Kramer VP501XL $272.74

VP501XL

The VP-501XL is a scan converter for computer graphics video signals. It converts computer graphics video signals up to UXGA (1600 x 1200) to composite and s-Video (Y/C) signals simultaneously in either PAL or NTSC formats.

VP501XL Features:

- Input Compatibility - up to 1600 x 1200.
- Auto Set Up Technology - One button auto setup that automatically sizes,shifts, and centers any input image on the display device.
- Proc-Amp - Color, hue, sharpness, contrast, and brightness controls.
- Multi-Standard Output - PAL or NTSC (selectable).
- Multi-Format Output - Composite video and s-Video (Y/C) simultaneously.
- Control - Front panel with on screen display.
- Flicker Reduction.
- Over Scan or Under Scan (selectable) with LED indicator.
- Freeze Frame with LED indicator.
- Compact Size - Part of the Kramer TOOLS™ family of compact, high qualityand cost effective sulutions

Technical Specifications:

- **INPUT**: 1 x VGA/SVGA/XGA/UXGA on an HD15F connector.
- **OUTPUTS**: 1 composite video 1Vpp/75O on a BNC connector.Y/C (s-Video) 1Vpp/75O (Y), 0.3Vpp/75O (C) on a 4p connector.
- **OUTPUT STANDARDS**: PAL, NTSC (user-selectable).
- **MAX. OUTPUT LEVEL**: 1Vpp.
- **S/N RATIO**: 49dB.
- **CONTROLS**: Front panel and OSD: ProcAmp video controls,Freeze, Underscan/Overscan, Auto-image, 8 color bars.
- **POWER SOURCE**: 12VDC, 270mA.
- **DIMENSIONS**: 12cm x 7.5cm x 2.5cm (4.7” x 2.95” x 0.98”,W, D, H).

Technical Specifications:

- **INPUT**: 1 x VGA/SVGA/XGA/UXGA on an HD15F connector.
- **OUTPUTS**: 1 composite video 1Vpp/75O on a BNC connector.Y/C (s-Video) 1Vpp/75O (Y), 0.3Vpp/75O (C) on a 4p connector.
- **OUTPUT STANDARDS**: PAL, NTSC (user-selectable).
- **MAX. OUTPUT LEVEL**: 1Vpp.
- **S/N RATIO**: 49dB.
- **CONTROLS**: Front panel and OSD: ProcAmp video controls,Freeze, Underscan/Overscan, Auto-image, 8 color bars.
- **POWER SOURCE**: 12VDC, 270mA.
- **DIMENSIONS**: 12cm x 7.5cm x 2.5cm (4.7” x 2.95” x 0.98”,W, D, H).

- **WEIGHT**: 0.3kg. (0.67lbs.) approximately
- **ACCESSORIES**: Power supply, mounting bracket.
- **OPTIONS**: 19” rack adapters RK-T1, RK-T3.

Smartpen

CIM Technology Solutions

Livescribe BPA-00035 $169.95 (includes shipping)

The Echo™ smartpen records everything you hear, write and draw. Later, simply tap on your notes to replay the recording so you can find what you need, instantly.

4GB of memory can hold over 400 hours of audio. Actual recording time varies by audio quality setting.

Record and Play Back
Remember everything you write and hear. Then replay the recorded audio by tapping directly on your notes.

Save and Search
Save your notes to your computer. Search for words within your notes.

Send and Share
Share your notes and recordings either publicly or privately. Pencasts can be sent as an email or embedded in a website, blog, or on Facebook.

Applications
Customize your smartpen with downloadable applications available at livescribe.com

What you get
- Echo™ smartpen with 4GB of memory and included applications (actual user available memory will be less)
- Livescribe™ Desktop software for Mac or Windows (download)
- 500 MB of personal online storage
- Starter dot paper notebook
- Micro USB cable for charging and data transfer
- Interactive Getting Started Guide
- Smartpen Tips and Tricks
- Two ink cartridges (including one pre-installed in the Echo smartpen)
- Two smartpen caps

What you need
- Intel-based Mac with OS X 10.5.5 or later, including 10.6
- Windows XP with SP3 or Windows Vista or Windows 7
- 600 MHz CPU or higher
- 300 MB free disk space
- Available USB 2.0 port
- Internet connection

***The Echo smartpen only works with Livescribe dot paper.*

Speakers

Technology Purchasing Partners, LLC

Anchor AN130 $141.90

Technology Purchasing Partners, LLC

Anchor cloth carrying case CC100 $31,00

Tape Central, Inc.

Anchor bracket for AN130 SB-3 $22.00 (choice of black or white)

The AN-130 is the perfect choice for classrooms, small conference rooms and corporate road warriors who rely on their sound systems to command the audience. Plus, it's the perfect companion for a video projector, VCR, DVD or laptop computer. Weighing in at just 8.5 pounds this powerful sound system is designed for audiences up to 100 people.

Product Features

- Reach Crowds of 100+
- 101 DB of Clear Sound
- 30 Watt Amplifier Equals Lots of Sound
- RCA Line-In, 1/4" Line-In & 1/4" Min-In
- 1/4" Line-Out Jack – Daisy Chain Multiple Systems or Record Output
- Magnetically Shielded Speaker for AV Use
- Optional Remote Control for Volume & Mute
- Bass & Treble Controls
- Available Black or White
- Color: White

Speakers

Tape Central, Inc.

Califone PA300+ $138.00

1. Lightweight with built-in handle for easy mobility
2. Green LED light on front gives visual confirmation of power
3. Switchable power supply
4. Separate bass, treble controls for quality sound
5. Line output to additional speakers
6. Aux in and line inputs connect with LCD projectors, multimedia players, computers and whiteboards
7. UL approved safe for school, church, government uses
8. Accepts XLR / 1/4" mic inputs so two microphones can operate at the same time
9. Rugged brass sunburst teeth for worry-free bracket MB350 mounting and guarantees speaker will not slip

- Ideal for mobile presenters, classroom and athletic uses
- Includes volume/mute remote control (not shown)
- Warranty for school use - unlike some other audio products purchased from consumer electronics stores whose warranties would be voided if used in schools voided if used in schools

"Project Intercept"
Please contact us immediately if you experience any difficulties with your PA300 Plus. Our "Project Intercept" customer service program will quickly repair or replace items under warranty. Simply contact us via phone or email warranty@califone.com.

Visit our website at www.califone.com to learn more about the complete line of wired and wireless *Califone®* headphones and other audio products including: Public address systems, wireless microphone systems, group listening centers,multimedia players and computer peripheral products.

We are proud of helping teachers enhance student understanding and achievements since 1947, with your satisfaction as our first priority.

The PresentationPro carries a limited six-year warranty and service support available through authorized dealers nationwide.

Specifications

Rated Power Output:	30 watts RMS
Sensitivity for Rated Output:	Line:125 mVrms Microphone: 4 mVrms Auxiliary: 250 mVrms
Frequency Response:	60 Hz – 20 kHz ± 3dB
Dispersion Angle:	90° H x 120° V
Speakers:	Woofer: 5-1/4" High efficiency Tweeter: 13mm mylar dome
Crossover:	L/C – 6dB/Octave @ 4 kHz
Inputs:	Line inputs (2):Hi-Z, RCA (summing L+R) Balanced mic: Hi or lo-Z, with phantom power (+15 volts D.C.) Unbalanced mic:Lo –Z, 1/4"-phone Auxiliary: Hi-Z Mono 1/4"-phone
Line Output:	250mv constant
AC Power Requirements:	110 – 125 VAC, 50/60 Hz or 208 – 240 VAC, 50/60 Hz
Dimensions (HWD):	6.25" x 10" x 8.5"
Weight:	10 pounds, shipping weight 13 lbs.
Warranty	6 year from date of purchase for use in school, business, church and government facilities
CPSIA	Click here to view the safety compliances for this product under the Consumer Product Safety Improvement Act

Tablet

RM Educational Software

RM e-Pad 0016-EPAD-ETNGP $167.00

Features and Benefits

- Hand straps make it easy to carry
- Built-in keyboard emulator
- Left and right mouse buttons on ePad and wireless pen
- Volume control buttons on ePad
- Contains replaceable, rechargeable batteries
- USB cable for wired connection to a PC and for charging
- USB a/c adaptor (country specific)
- Spare pen tips
- LCS status screen
- Wireless pen with red laser pointer
- Includes RM Easiteach
- Receiver dongle with 3-port USB hub
- Over 40 hours of battery life on one charge
- Over 20 hours of pen battery life
- 1 year warranty

Create and Deliver Engaging Lessons with All the Interactivity of a Whiteboard.

The brand new *RM ePad* is a portable wireless tablet designed specifically for schools. It gives teachers the freedom to teach and engage your students from anywhere in the classroom. Create and deliver engaging lessons with all the interactivity of a whiteboard from the palm of your hand. The RM ePad includes RM Easiteach, the award-winning dynamic software tool for engaging and stimulating whole-class teaching.

The RM ePad comes with many new and convenient features that make this interactive slate the most user-friendly one you will find. The unique hand straps make it easy to carry the RM ePad, and the built-in keyboard makes it easy for you or your students to enter text. The wireless RF technology allows for 60 feet of unhindere movement. The LCD panel monitors the pad and pen battery, which provides over 40 hours of use on one charge. The RM ePad is designed specifically for classroom use with rubber corners for added ruggedness. Compatible with most PCs, Macs and whiteboards, *ePad* enables simple and safe whole class teaching and interaction.